Taylor & Francis
Taylor & Francis Group

Index of Authors (with the titles of papers), volume 28 (2007)

AAS, E., *see* Sørensen, K.

ABBOTT, K. N., LEBLON, B., STAPLES, G. C., MACLEAN, D. A. and ALEXANDER, M. E.: Fire danger monitoring using RADARSAT-1 over northern boreal forests, 1317

ABDALLAH, C., CHOROWICZ, J., BOUKHEIR, R. and DHONT, D.: Comparative use of processed satellite images in remote sensing of mass movements: Lebanon as a case study, 4409

ACHARD, F., *see* Durieux, L.

ACHARYA, B. C., *see* Rajawat, A. S.

ACHE, P., *see* Amarsaikhan, D.

ADLER, R. F., *see* Hong, Y.

AGAPITOV, A., *see* Grytsai, A.

AGARWAL, N., *see* Agarwal, V. K.

AGARWAL, V. K., MATHUR, A., SHARMA, R., AGARWAL, N. and PAREKH, A.: A study of air–sea interaction following the tsunami of 26 December 2004 in the eastern Indian Ocean, 3113

AGRAWAL, A., KUMAR, N. and RADHAKRISHNA, M.: Multispectral image classification: a supervised neural computation approach based on rough–fuzzy membership function and weak fuzzy similarity relation, 4597

AGRAWAL, R., *see* Bhattacharya, B. K.

AHN, M.-H., *see* Choi, Y.-S.

AIKEN, J., FISHWICK, J. R., LAVENDER, S., BARLOW, R., MOORE, G. F., SESSIONS, H., BERNARD, S., RAS, J. and HARDMAN-MOUNTFORD, N. J.: Validation of MERIS reflectance and chlorophyll during the BENCAL cruise October 2002: preliminary validation of new demonstration products for phytoplankton functional types and photosynthetic parameters, 497

AITKENHEAD, M. J., *see* Cots-Folch, R.

ALBERGA, V.: A study of land cover classification using polarimetric SAR parameters, 3851

ALBERT, P., *see* Naud, C.

ALBERT, P., *see* Preusker, R.

ALEXANDER, M. E., *see* Abbott, K. N.

ALHAMAD, M. N., STUTH, J. and VANNUCCI, M.: Biophysical modelling and NDVI time series to project near-term forage supply: spectral analysis aided by wavelet denoising and ARIMA modelling, 2513

AL-KAFRI, A. M., *see* Rukieh, M.

ALLEMAND, P., *see* Gomez, C.

ALMEIDA, C., *see* Chauhan, O. S.

ALMEIDA-FILHO, R., ROSENQVIST, A., SHIMABUKURO, Y. E. and SILVA-GOMEZ, R.: Detecting deforestation with multitemporal L-band SAR imagery: a case study in western Brazilian Amazônia, 1383

ALMEIDA-FILHO, R., *see* Shimabukuro, Y. E.

ALVARO, F., DEL MORAL, L. F. G. and ROYO, C.: Usefulness of remote sensing for the assessment of growth traits in individual cereal plants grown in the field, 2497

AMARSAIKHAN, D., GANZORIG, M., ACHE, P. and BLOTEVOGEL, H.: The integrated use of optical and InSAR data for urban land-cover mapping, 1161
AMICI, S., BUONGIORNO, M. F., CORRADINI, S., PUGNAGHI, S. and SGAVETTI, M.: Airborne FTIR measurements over the Mt Etna volcano: preliminary results from the 2003 FASA Campaign, 3871
AMMINEDU, E., *see* Jonna, S.
ANASTASSOPOULOS, V., *see* Christoulas, G.
ANDERSEN, S., *see* Laue, H.
ANDRÉ, C., *see* Zribi, M.
ARDAI, E., *see* Aydal, D.
ARNAUD, M., *see* Bailly, J. S.
ARORA, M. K., *see* Shah, C. A.
ARUMUGAM, S., *see* Jade, S.
ARVESEN, J., *see* Elvidge, C. D.
ASAI, H., *see* Inoue, Y.
ASNER, G. P., *see* Sano, E. E.
ATKINSON, P. M., *see* Brown, K. M.
AYDAL, D., ARDAI, E. and DUMANLILAR, Ö.: Application of the Crosta technique for alteration mapping of granitoidic rocks using ETM+ data: case study from eastern Tauride belt (SE Turkey), 3895

BAAFI, E., *see* Palamara, D. R.
BACOUR, C., *see* Béal, D.
BADARINATH, K. V. S., *see* Chand, T. R. K.
BADRINATH, K. V. S., *see* Jonna, S.
BAGHDADI, N., PEDREROS, R., LENOTRE, N., DEWEZ, T. and PAGANINI, M.: Impact of polarization and incidence of the ASAR sensor on coastline mapping: example of Gabon, 3841
BAHUGUNA, I. M., KULKARNI, A. V., NAYAK, S., RATHORE, B. P., NEGI, H. S. and MATHUR, P.: Himalayan glacier retreat using IRS 1C PAN stereo data, 437
BAILLY, J. S., ARNAUD, M. and PUECH, C.: Boosting: a classification method for remote sensing, 1687
BALIC, N., WEINACKER, H. and KOCH, B.: Generation of mosaiced digital true orthophotographs from multispectral and lidar data, 3679
BALTSAVIAS, E. P., *see* Seiz, G.
BALZTER, H., LUCKMAN, A., SKINNER, L., ROWLAND, C. and DAWSON, T.: Observations of forest stand top height and mean height from interferometric SAR and LiDAR over a conifer plantation at Thetford Forest, UK, 1173
BANDEKAR, G., *see* Chauhan, O. S.
BANDYOPADHYAY, G., *see* Chattopadhyay, S.
BARBER, D. G., *see* Galley, R. J.
BARET, F., *see* Béal, D.
BARLOW, R., *see* Aiken, J.
BARTALEV, S. A., EGOROV, V. A., LOUPIAN, E. A. and UVAROV, I. A.: Multi-year circumpolar assessment of the area burnt in boreal ecosystems using SPOT-VEGETATION, 1397
BARTALEV, S. A., *see* Hüttich, C.
BARTHOLOMÉ, E., *see* Lupo, F.
BARTHOLOMEUS, H. M., *see* Clevers, J. G. P. W.

BARTHOLOMEUS, H., *see* Vrieling, A.
BATISTELLA, M., *see* Lu, D.
BÉAL, D., BARET, F., BACOUR, C. and GU, X-F.: A method for aerosol correction from the spectral variation in the visible and near infrared: application to the MERIS sensor, 761
BECK, P. S. A., JÖNSSON, P., HØGDA, K.-A., KARLSEN, S. R., EKLUNDH, L. and SKIDMORE, A. K.: A ground-validated NDVI dataset for monitoring vegetation dynamics and mapping phenology in Fennoscandia and the Kola peninsula, 4311
BEHNERT, I., *see* Schroeder, T.
BELBACHIR, A. H., *see* Boutiouta, S.
BELWARD, A. S., STIBIG, H.-J., EVA, H., REMBOLD, F., BUCHA, T., HARTLEY, A., BEUCHLE, R., KHUDHAIRY, D., MICHIELON, M. and MOLLICONE, D.: Mapping severe damage to land cover following the 2004 Indian Ocean tsunami using moderate spatial resolution satellite imagery, 2977
BEN-DOR, E., *see* Levin, N.
BENFIELD, S. L., GUZMAN, H. M., MAIR, J. M. and YOUNG, J. A. T.: Mapping the distribution of coral reefs and associated sublittoral habitats in Pacific Panama: a comparison of optical satellite sensors and classification methodologies, 5047
BENNARTZ, R., *see* Preusker, R.
BERLYN, G. P., *see* Thorhaug, A.
BERNARD, S., *see* Aiken, J.
BEUCHLE, R., *see* Belward, A. S.
BEZVESILNIY, O. O. and VAVRIV, D. M.: Retrieving the median droplet diameter from K_a- and W-band dual-wavelength Doppler radar measurements, 3707
BHATTACHARYA, B. K., DUTTA, S., DADHWAL, V. K., PARIHAR, J. S., CHATTOPADHYAY, C., AGRAWAL, R., KUMAR, V., KHAN, S. A., ROY, S. and SHEKHAR, C.: Predicting aphid (*Lipaphis erysimi*) growth in oilseed *Brassica* using near surface meteorological data from NOAA TOVS—a case study, 3759
BHATTACHARYYA (NÉE BHAUMIK), S., *see* Raychaudhuri, B.
BHATTACHARYYA, R., *see* Chatterjee, S.
BILL, R., *see* Sarwar, A.
BLACKBURN, G. A.: Wavelet decomposition of hyperspectral data: a novel approach to quantifying pigment concentrations in vegetation, 2831
BLAES, X., HOLECZ, F., VAN LEEUWEN, H. J. C. and DEFOURNY, P.: Regional crop monitoring and discrimination based on simulated ENVISAT ASAR wide swath mode images, 371
BLOTEVOGEL, H., *see* Amarsaikhan, D.
BLUMBERG, D. G. and ZHU, G.: Using a hierarchical multi-resolution mechanism for the classification and semantic extraction of landuse maps for Beer-Sheva, Israel, 3273
BO, Y., *see* Chen, Y.
BOGAERT, P., *see* Vancutsem, C.
BOLORTSETSEG, B., *see* Muramatsu, K.
BORGHUIS, A. M., CHANG, K. and LEE, H. Y.: Comparison between automated and manual mapping of typhoon-triggered landslides from SPOT-5 imagery, 1843
BORRERO, J., *see* McAdoo, B. G.
BOSCHETTI, L., *see* Boschetti, M.

Boschetti, M., Boschetti, L., Oliveri, S., Casati, L. and Canova, I.: Tree species mapping with Airborne hyper-spectral MIVIS data: the Ticino Park study case, 1251

Boukheir, R., *see* Abdallah, C.

Bourg, L., *see* Delwart, S.

Boutiouta, S. and Belbachir, A. H.: Monitoring the ionosphere activity from GPS data, 5617

Bovensmann, H., *see* Kokhanovsky, A. A.

Box, G. P., *see* Gupta, P.

Box, M. A., *see* Gupta, P.

Boyd, D. S., *see* Foody, G. M.

Brajard, J., Niang, A., Sawadogo, S., Fell, F., Santer, R. and Thiria, S.: Estimating aerosol parameters above the ocean from MERIS observations using topological maps, 781

Brassington, G. M., *see* Palamara, D. R.

Braun, O., *see* Levin, N.

Bro, R., *see* Jørgensen, R. N.

Browder, J. O., *see* Wynne, R. H.

Brown, K. M., Foody, G. M. and Atkinson, P. M.: Modelling geometric and misregistration error in airborne sensor data to enhance change detection, 2857

Brunner, P., Li, H. T., Kinzelbach, W. and Li, W. P.: Generating soil electrical conductivity maps at regional level by integrating measurements on the ground and remote sensing data, 3341

Bryant, R., *see* Rahman, M. M.

Bucha, T., *see* Belward, A. S.

Buell, R., *see* Meyer, R.

Buongiorno, M. F., *see* Amici, S.

Burrows, J. P., *see* Kokhanovsky, A. A.

Buyantuyev, A., Wu, J. and Gries, C.: Estimating vegetation cover in an urban environment based on Landsat ETM+ imagery: A case study in Phoenix, USA, 269

Cai, G., Xue, Y., Hu, Y., Guo, J., Wang, Y. and Qi, S.: Quantitative study of net radiation from MODIS data in the lower boundary layer in Poyang Lake area of Jiangxi Province, China, 4381

Cai, G., Xue, Y., Hu, Y., Wang, Y., Guo, J., Luo, Y., Wu, C., Zhong, S. and Qi, S.: Soil moisture retrieval from MODIS data in Northern China Plain using thermal inertia model, 3567

Calhoon, M., *see* Clawges, R.

Calle, A., *see* Romo, A.

Campagna, D. J., *see* Chen, X.

Canisius, F., Turral, H. and Molden, D.: Fourier analysis of historical NOAA time series data to estimate bimodal agriculture, 5503

Canova, I., *see* Boschetti, M.

Cao, G. and Jin, Y. Q.: A hybrid algorithm of the BP-ANN/GA for classification of urban terrain surfaces with fused data of Landsat ETM+ and ERS-2 SAR, 293

Cao, G. and Yang, X.: Man-made object detection in aerial images using multi-stage level set evolution, 1747

Carranza, E. J. M., *see* Farifteh, J.

CARTALIS, C., *see* Stathopoulou, M.
CASANOVA, C., *see* Romo, A.
CASANOVA, J. L., *see* Romo, A.
CASATI, L., *see* Boschetti, M.
CASELLES, V., *see* Sánchez, J. M.
CECCATO, P., *see* Dinku, T.
CERVONE, G., *see* Singh, R. P.
CHAERLE, L., HAGENBEEK, D., VANROBAEYS, X. and VAN DER STRAETEN, D.: Early detection of nutrient and biotic stress in *Phaseolus vulgaris*, 3479
CHAND, T. R. K. and BADARINATH, K. V. S.: Analysis of ENVISAT ASAR data for forest parameter retrieval and forest type classification—a case study over deciduous forests of central India, 4985
CHAND, T. R. K., *see* Jonna, S.
CHANDRASEKHAR, G., *see* Jonna, S.
CHANG, K. C., *see* Yang, M. D.
CHANG, K. W., *see* Lee, Y. J.
CHANG, K., *see* Borghuis, A. M.
CHANG, Z., ZHANG, J., GONG, H., ZHANG, J. and ZHAO, W.: 'Maximal effective baseline' for conventional SAR interferometry, 5603
CHATTERJEE, S., BHATTACHARYYA, R. and MAJUMDAR, T. J.: Generation and study of high-resolution satellite gravity over the Sumatran earthquake region, 2915
CHATTOPADHYAY, C., *see* Bhattacharya, B. K.
CHATTOPADHYAY, S. and BANDYOPADHYAY, G.: Artificial neural network with backpropagation learning to predict mean monthly total ozone in Arosa, Switzerland, 4471
CHATTOPADHYAY, S.: Prediction of mean monthly total ozone time series – application of radial basis function network, 4037
CHAUHAN, O. S., MENEZES, A. A. A., JAYAKUMAR, S., MALIK, M. A., PRADHAN, Y., RAJAWAT, A. S., NAYAK, S. R., BANDEKAR, G., ALMEIDA, C., TALAULIKAR, M., RAMANAMU RTY, M. V. and SUBRAMANIAN, B. R.: Influence of the macrotidal environment on the source to sink pathways of suspended flux in the Gulf of Kachchh, India: evidence from the Ocean Colour Monitor (IRS-P4), 3323
CHE, N., *see* Xie, Y.
CHEN, D.-M., *see* Tian, J.
CHEN, F., WANG, C. and ZHANG, H.: Automatic matching of high-resolution SAR images, 3665
CHEN, J. and WANG, R.: A pairwise decision tree framework for hyperspectral classification, 2821
CHEN, L., HUANG, J. F., WANG, F. M. and TANG, Y. L.: Comparison between back propagation neural network and regression models for the estimation of pigment content in rice leaves and panicles using hyperspectral data, 3457
CHEN, X., MA, J., QIAO, H., CHENG, D., XU, Y. and ZHAO, Y.: Detecting infestation of take-all disease in wheat using Landsat Thematic Mapper imagery, 5183
CHEN, X., *see* Li, X.
CHEN, X., WARNER, T. A. and CAMPAGNA, D. J.: Integrating visible, near-infrared and short wave infrared hyperspectral and multispectral thermal imagery for geologic mapping: simulated data, 2415
CHEN, Y., JING, L., BO, Y., SHI, P. and ZHANG, S.: Cover: Detection of coal fire, 3171

CHEN, Y., JING, L., BO, Y., SHI, P. and ZHANG, S.: Technical Note: Detection of coal fire location and change based on multi-temporal thermal remotely sensed data and field measurements, 3173

CHEN, Y., SHI, P., DENG, L. and LI, J.: Technical Note. Generation of top-of-canopy Digital Elevation Model (DEM) in tropical rain forest regions using radargrammetry, 4345

CHEN, Y., SHI, P., LI, J., DENG, L., HU, D. and FAN, Y.: Cover. DEM accuracy comparison between different models from different stereo pairs, 4217

CHEN, Y., SHI, P., TUNG, F., WANG, J. and LI, X.: Technical Note. Object-oriented classification for urban land cover mapping with ASTER imagery, 4645

CHEN, Y., SUI, D. Z., FUNG, T. and DOU, W.: Fractal analysis of the structure and dynamics of a satellite-detected urban heat island, 2359

CHEN, Y., WEN, D., JING, L. and SHI, P.: Technical Note: Shadow information recovery in urban areas from very high resolution satellite imagery, 3249

CHENG, D., *see* Chen, X.

CHENG, T., *see* Zuo, X.

CHIBANI, Y.: Integration of panchromatic and SAR features into multispectral SPOT images using the 'a trous' wavelet decomposition, 2295

CHINGKHEI, R. K., *see* Kumar, A.

CHIPMAN, J. W. and LILLESAND, T. M.: Satellite-based assessment of the dynamics of new lakes in southern Egypt, 4365

CHIPMAN, J. W., *see* Dash, J.

CHO, H. J.: Depth-variant spectral characteristics of submersed aquatic vegetation detected by Landsat 7 ETM+, 1455

CHOI, H., KANG, I. J., CHUNG, Y. H. and YOON, H. J.: Uncertainty analysis of flash-flood system using remote sensing and a geographic information system based on GcIUH in the Yeongdeok Basin, Korea, 5551

CHOI, Y.-S., HO, C.-H., AHN, M.-H. and KIM, Y.-M.: An exploratory study of cloud remote sensing capabilities of the Communication, Ocean and Meteorological Satellite (COMS) imagery, 4715

CHOMENTOWSKI, W., *see* Matricardi, E. A. T.

CHOPPING, M. J., *see* Su, L.

CHOROWICZ, J., *see* Abdallah, C.

CHOUDHURY, P. R., *see* Singh, A. K.

CHOUDHURY, P. R., *see* Singh, A. K.

CHOUDHURY, S. B., JENA, B., RAO, M. V., RAO, K. H., SOMVANSHI, V. S., GULATI, D. K. and SAHU, S. K.: Validation of integrated potential fishing zone (IPFZ) forecast using satellite based chlorophyll and sea surface temperature along the east coast of India, 2683

CHOUDHURY, S., RAJPAL, H., SARAF, A. K. and PANDA, S.: Technical Note: Mapping and forecasting of North Indian winter fog: an application of spatial technologies, 3649

CHOUDHURY, S., *see* Panda, S. K.

CHOUDHURY, S., *see* Saraf, A. K.

CHRISTENSEN, L. K., *see* Jørgensen, R. N.

CHRISTOPHER, S. A., *see* Gupta, P.

CHRISTOULAS, G., TSAGARIS, V. and ANASTASSOPOULOS, V.: Textural characterization from various representations of MERIS data, 675

CHUAH, H. T., *see* Tay, L. T.

CHUNG, Y. H., *see* Choi, H.
CINZANO, P., *see* Elvidge, C. D.
CLARK, R., *see* Hope, A.
CLAWGES, R., VIERLING, L., CALHOON, M. and TOOMEY, M.: Use of a ground-based scanning lidar for estimation of biophysical properties of western larch (*Larix occidentalis*), 4331
CLEVERS, J. G. P. W., SCHAEPMAN, M. E., MÜCHER, C. A., DE WIT, A. J. W., ZURITA-MILLA, R. and BARTHOLOMEUS, H. M.: Using MERIS on Envisat for land cover mapping in the Netherlands, 637
CLEVERS, J. G. P. W., *see* Geerling, G. W.
CLEVERS, J. G. P. W., *see* VAN DER Heijden, G. W. A. M.
CLEVERS, J. G. P. W., *see* Zurita-Milla, R.
CLOTHIAUX, E. E., *see* Naud, C.
CLUCKIE, I. D., *see* Rico-Ramirez, M. A.
COCHRANE, M. A., *see* Matricardi, E. A. T.
COHEN, W. B., *see* Lobser, S. E.
COHEN, Y., *see* Shoshany, M.
COLEMAN, D. J., *see* Mayunga, S. D.
COLL, C., *see* Sánchez, J. M.
COLLINS, C. D. H., *see* Rahman, M. M.
COLLINS, M. J., *see* Warren, A. J.
CONFORTI, D., *see* Pesci, A.
CONNOR, S. J., *see* Dinku, T.
COOPS, N. C., DURO, D. C., WULDER, M. A. and HAN, T.: Estimating afternoon MODIS land surface temperatures (LST) based on morning MODIS overpass, location and elevation information, 2391
CORDERO-SANCHO, S. and SADER, S. A.: Spectral analysis and classification accuracy of coffee crops using Landsat and a topographic-environmental model, 1577
CORRADINI, S., *see* Amici, S.
COTS-FOLCH, R., AITKENHEAD, M. J. and MARTÍNEZ-CASASNOVAS, J. A.: Mapping land cover from detailed aerial photography data using textural and neural network analysis, 1625
COULTER, L., *see* Stow, D.
CRACKNELL, A. P. and VAROTSOS, C. A.: The Antarctic 2006 ozone hole, 1
CRACKNELL, A. P.: Editorial, 2399
CSAPLOVICS, E., *see* Rahman, M. M.
CUEVAS, J. M., *see* García-Gigorro, S.
CUEVAS, J. M., *see* González-Alonso, F.
CULLINANE, T., *see* Wells, M. A.
CURRAN, P. J., DASH, J. and LLEWELLYN, G. M.: Indian Ocean tsunami: The use of MERIS (MTCI) data to infer salt stress in coastal vegetation, 729
CURRAN, P. J., DASH, J., LANKESTER, T. and HUBBARD, S.: Cover: Global composites of the MERIS Terrestrial Chlorophyll Index, 3757
CURRAN, P. J., *see* Dash, J.

DABAS, R. S., *see* Dutta, H. N.
DADHWAL, V. K., *see* Bhattacharya, B. K.
DAIGO, M., *see* Muramatsu, K.

DAIGO, M., *see* Zhang, L.
DANIELSEN, F., *see* Olwig, M. F.
DARMAWAN, S., *see* Wikantika, K.
DAS, J. D. and SARAF, A. K.: Technical Note: Remote sensing in the mapping of the Brahmaputra/Jamuna River channel patterns and its relation to various landforms and tectonic environment, 3619
DAS, J. D., SARAF, A. K. and PANDA, S.: Technical Note: Satellite data in a rapid analysis of Kashmir earthquake (October 2005) triggered landslide pattern and river water turbidity in and around the epicentral region, 1835
DAS, J. D., *see* Panda, S. K.
DAS, R. M., *see* Dutta, H. N.
DASGUPTA, S., *see* Wang, L.
DASH, J., MATHUR, A., FOODY, G. M., CURRAN, P. J., CHIPMAN, J. W. and LILLESAND, T. M.: Land cover classification using multi-temporal MERIS vegetation indices, 1137
DASH, J., *see* Curran, P. J.
DASH, S., *see* Prusty, G.
DAVE, H. D. and MITRA, D. S.: Integrating onland lineaments with offshore data using a GIS approach - a case study from the Kutch Basin, India, 925
DAWSON, T., *see* Balzter, H.
DE FREITAS, R. M., *see* Shimabukuro, Y. E.
DE GRANDI, G. D., *see* Durieux, L.
DE REUS, N. O., *see* Eleveld, M. A.
DE WIT, A. J. W., *see* Clevers, J. G. P. W.
DE WULF, R. R., *see* Westra, T.
DEFOURNY, P., *see* Blaes, X.
DEFOURNY, P., *see* Vancutsem, C.
DEL CARMEN GONZÁLEZ-SANPEDRO, M., *see* Guanter, L.
DEL MORAL, L. F. G., *see* Alvaro, F.
DELACOURT, C., *see* Gomez, C.
DELWART, S., PREUSKER, R., BOURG, L., SANTER, R., RAMON, D. and FISCHER, J.: MERIS in-flight spectral calibration, 479
DEMATTÊ, J. A. M., GALDOS, M. V., GUIMARÃES, R. V., GENÚ, A. M., NANNI, M. R. and ZULLO JR, J.: Quantification of tropical soil attributes from ETM+/LANDSAT-7 data, 3813
DEMATTÊ, J. A. M., NANNI, M. R., FORMAGGIO, A. R. and EPIPHANIO, J. C. N.: Spectral reflectance for the mineralogical evaluation of Brazilian low clay activity soils, 4537
DENG, L., *see* Chen, Y.
DENG, L., *see* Chen, Y.
DENIS, M.-A., MULLER, J.-P. and MANNSTEIN, H.: ATSR-2 camera models for the automated stereo photogrammetric retrieval of cloud-top heights—initial assessments, 1939
DENIS, M.-A., *see* Muller, J.-P.
DESCROIX, L., *see* Zribi, M.
DEVASTHALE, A. and GRASSL, H.: Dependence of frequency of convective cloud occurrence on the orbital drift of satellites, 3701
DEWEZ, T., *see* Baghdadi, N.
DHONT, D., *see* Abdallah, C.

DICK, Ø, B., *see* Weydahl, D. J.
DIEHL, S. V., *see* Sridhar, B. B. M.
DILLIGEARD, E., *see* Santer, R.
DINKU, T., CECCATO, P., GROVER-KOPEC, E., LEMMA, M., CONNOR, S. J. and ROPELEWSKI, C. F.: Validation of satellite rainfall products over East Africa's complex topography, 1503
DOAN, H. T. X. and FOODY, G. M.: Increasing soft classification accuracy through the use of an ensemble of classifiers, 4609
DOERFFER, R. and SCHILLER, H.: The MERIS Case 2 water algorithm, 517
DOERFFER, R., *see* Schroeder, T.
DOLENDRO, T., *see* Kumar, A.
DONG, L., *see* Ma, M.
DOU, W., *see* Chen, Y.
DOUANGSAVANH, L., *see* Inoue, Y.
DRAKE, N. A., *see* Smith, A. M. S.
DRESCHER, A.: Analysis of high resolution MOMS cloud scenes for CLOUDMAP validation, 1989
DUMANLILAR, Ö., *see* Aydal, D.
DUNDAS, R. D., *see* Muller, J.-P.
DURAND, D. D., *see* Folkestad, A.
DURIEUX, L., KROPÁČEK, J., DE GRANDI, G. D. and ACHARD, F.: Object-oriented and textural image classification of the Siberia GBFM radar mosaic combined with MERIS imagery for continental scale land cover mapping, 4175
DURO, D. C., *see* Coops, N. C.
DURY, S.: Satellite Monitoring of Inland and Coastal Water Quality. Retrospection, Introspection, Future Directions, 1373
DUTTA, H. N., DABAS, R. S., DAS, R. M., SHARMA, K. and SINGH, B.: Ionospheric perturbations over Delhi caused by the 26 December 2004 Sumatra earthquake, 3141
DUTTA, S., *see* Bhattacharya, B. K.
DUZGUN, H. S., *see* Kocal, A.

EBENER, S., *see* Elvidge, C. D.
ECKARDT, F., *see* Hamandawana, H.
EGOROV, V. A., *see* Bartalev, S. A.
EGOROV, V., *see* Hüttich, C.
EITEL, J. U. H., LONG, D. S., GESSLER, P. E. and SMITH, A. M. S.: Using *in-situ* measurements to evaluate the new RapidEye™ satellite series for prediction of wheat nitrogen status, 4183
EKLUNDH, L., *see* Beck, P. S. A.
EKLUNDH, L., *see* Tottrup, C.
EL-BAZ, F. and GHONEIM, E.: Largest crater shape in the Great Sahara revealed by multi-spectral images and radar data, 451
EL-BAZ, F., *see* Ghoneim, E.
ELEVELD, M. A., WAGTENDONK, A. J., PASTERKAMP, R. and DE REUS, N. O.: WATeRS: an open Web Map Service with near-real time MODIS Level-2 standard chlorophyll products of the North Sea, 3693
EL-GAMILY, H. I.: Utilization of multi-dates LANDSAT_TM data to detect and quantify the environmental damages in the southeastern region of Kuwait from 1990 to 1991, 1773

ELVIDGE, C. D., CINZANO, P., PETTIT, D. R., ARVESEN, J., SUTTON, P., SMALL, C., NEMANI, R., LONGCORE, T., RICH, C., SAFRAN, J., WEEKS, J. and EBENER, S.: The Nightsat mission concept, 2645
EL-ZAART, A. and ZIOU, D.: Statistical modelling of multimodal SAR images, 2277
EMMERICH, W., *see* Houborg, R.
ENGSTROM, R., *see* Stow, D.
EPIPHANIO, J. C. N., *see* Demattê, J. A. M.
ESTREGUIL, C., *see* Maggi, M.
EVA, H., *see* Belward, A. S.
EVTUSHEVSKY, A., *see* Grytsai, A.

FAN, Y., *see* Chen, Y.
FARIFTEH, J., VAN DER MEER, F. and CARRANZA, E. J. M.: Similarity measures for spectral discrimination of salt-affected soils, 5273
FEISTER, U., *see* Seiz, G.
FELL, F., *see* Brajard, J.
FELL, F., *see* Shahraiyni, H. T.
FERREIRA, L. G., *see* Ferreira, M. E.
FERREIRA, L. G., *see* Ferreira, N. C.
FERREIRA, L. G., *see* Sano, E. E.
FERREIRA, M. E., FERREIRA, L. G., SANO, E. E. and SHIMABUKURO, Y. E.: Spectral linear mixture modelling approaches for land cover mapping of tropical savanna areas in Brazil, 413
FERREIRA, M. E., *see* Ferreira, N. C.
FERREIRA, N. C., FERREIRA, L. G., HUETE, A. R. and FERREIRA, M. E.: An operational deforestation mapping system using MODIS data and spatial context analysis, 47
FISCHER, J., *see* Delwart, S.
FISCHER, J., *see* Muller, J.-P.
FISCHER, J., *see* Naud, C.
FISCHER, J., *see* Preusker, R.
FISCHER, J., *see* Schroeder, T.
FISCHER, J., *see* Shahraiyni, H. T.
FISHWICK, J. R., *see* Aiken, J.
FLENTJE, P., *see* Palamara, D. R.
FLORES, E. S. and YOOL, S. R.: Sensitivity of change vector analysis to land cover change in an arid ecosystem, 1069
FOLKESTAD, A., PETTERSSON, L. H. and DURAND, D. D.: Inter-comparison of ocean colour data products during algal blooms in the Skagerrak, 569
FOODY, G. M., BOYD, D. S. and SANCHEZ-HERNANDEZ, C.: Mapping a specific class with an ensemble of classifiers, 1733
FOODY, G. M., *see* Brown, K. M.
FOODY, G. M., *see* Dash, J.
FOODY, G. M., *see* Doan, H. T. X.
FOPPA, N., HAUSER, A., OESCH, D., WUNDERLE, S. and MEISTER, R.: Validation of operational AVHRR subpixel snow retrievals over the European Alps based on ASTER data, 4841
FORMAGGIO, A. R., *see* Demattê, J. A. M.
FRANKLIN, S. E., *see* Wunderle, A. L.

FREY, C. M., RIGO, G. and PARLOW, E.: Urban radiation balance of two coastal cities in a hot and dry environment, 2695
FUJIWARA, N., *see* Zhang, L.
FUKUSHIMA, T., *see* Oyama, Y.
FUKUSHIMA, Y., *see* Matsuoka, M.
FUNG, T., *see* Chen, Y.
FURUMI, S., *see* Zhang, L.

GALDOS, M. V., *see* Demattê, J. A. M.
GALGARO, A., *see* Teza, G.
GALLEY, R. J., BARBER, D. G. and YACKEL, J. J.: On the link between SAR-derived sea ice melt and development of the summer upper ocean mixed layer in the North Open Water Polynya, 3979
GALVÃO, L. S., *see* Rabelo, T. N.
GAN, T. Y., *see* Kalinga, O. A.
GANZORIG, M., *see* Amarsaikhan, D.
GARCÍA-GIGORRO, S., GONZÁLEZ-ALONSO, F., MERINO-DE-MIGUEL, S., ROLDÁN-ZAMARRÓN, A. and CUEVAS, J. M.: MERIS-FR potential for land use–land cover mapping in Spain, 1405
GARCÍA-GIGORRO, S., *see* González-Alonso, F.
GARDNER, R. H., *see* Sá, A. C. L.
GARG, P. K., *see* Rao, N. R.
GASCON, F., GASTELLU-ETCHEGORRY, J. P. and LEROY, M.: Using multi-directional high-resolution imagery from POLDER sensor to retrieve leaf area index, 167
GASTELLU-ETCHEGORRY, J. P., *see* Gascon, F.
GAUR, V. K., *see* Jade, S.
GEERLING, G. W., LABRADOR-GARCIA, M., CLEVERS, J. G. P. W., RAGAS, A. M. J. and SMITS, A. J. M.: Classification of floodplain vegetation by data fusion of spectral (CASI) and LiDAR data, 4263
GENEVOIS, R., *see* Teza, G.
GENÚ, A. M., *see* Demattê, J. A. M.
GERARD, F. F., *see* Thomson, A. G.
GERASCH, B., *see* Krawczyk, H.
GERHARDINGER, A., *see* Pesaresi, M.
GERTH, M., *see* Ohde, T.
GESSLER, P. E., *see* Eitel, J. U. H.
GHONEIM, E. and EL-BAZ, F.: DEM-optical-radar data integration for palaeohydrological mapping in the northern Darfur, Sudan: implication for groundwater exploration, 5001
GHONEIM, E., ROBINSON, C. and EL-BAZ, F.: Radar topography data reveal drainage relics in the eastern Sahara, 1759
GHONEIM, E., *see* El-Baz, F.
GHOSH, P., *see* Saraf, A. K.
GHOSH, S. K., *see* Rao, N. R.
GIANELLE, D. and GUASTELLA, F.: Nadir and off-nadir hyperspectral field data: strengths and limitations in estimating grassland biophysical characteristics, 1547
GIANELLE, D. and VESCOVO, L.: Determination of green herbage ratio in grasslands using spectral reflectance. Methods and ground measurements, 931

GIBBONS, C. J., *see* Smith, A. M. S.
GOEL, M. K., KUMAR, P., JAIN, S. K. and TIWARI, R. S.: Operation analysis of a reservoir in GIS environment using remote sensing inputs, 335
GOMEZ, C., LE BORGNE, H., ALLEMAND, P., DELACOURT, C. and LEDRU, P.: N-FindR method versus independent component analysis for lithological identification in hyperspectral imagery, 5315
GONG, H., *see* Chang, Z.
GONZÁLEZ, M. E. P., *see* Rodríguez, P. G.
GONZÁLEZ-ALONSO, F., MERINO-DE-MIGUEL, S., ROLDÁN-ZAMARRÓN, A., GARCÍA-GIGORRO, S. and CUEVAS, J. M.: MERIS Full Resolution data for mapping level-of-damage caused by forest fires: the Valencia de Alcántara event in August 2003, 797
GONZÁLEZ-ALONSO, F., *see* García-Gigorro, S.
GONZALO, C., *see* Lillo-Saavedra, M.
GOPINATH, G., *see* Kumar, P. K. D.
GORCHOV, D. L., *see* Resasco, J.
GOWER, J. and KING, S.: Validation of chlorophyll fluorescence derived from MERIS on the west coast of Canada, 625
GOWER, J.: The 26 December 2004 tsunami measured by satellite altimetry, 2897
GRAÇA, P. M. L., *see* Maldonado, F. D.
GRANILLO, J. A., *see* Xie, H.
GRASSL, H., *see* Devasthale, A.
GRIES, C., *see* Buyantuyev, A.
GROVER-KOPEC, E., *see* Dinku, T.
GRUEN, A., *see* Seiz, G.
GRUNG, M., *see* Sørensen, K.
GRYTSAI, A., EVTUSHEVSKY, A., MILINEVSKY, G. and AGAPITOV, A.: Longitudinal position of the quasi-stationary wave extremes over the Antarctic region from the TOMS total ozone, 1391
GU, X-F., *see* Béal, D.
GUANTER, L., DEL CARMEN GONZÁLEZ-SANPEDRO, M. and MORENO, J.: A method for the atmospheric correction of ENVISAT/MERIS data over land targets, 709
GUASTELLA, F., *see* Gianelle, D.
GUIMARÃES, R. V., *see* Demattê, J. A. M.
GULATI, D. K., *see* Choudhury, S. B.
GÜNTHER, K. P. and MAIER, S. W.: AVHRR compatible vegetation index derived from MERIS data, 693
GUO, D., WEEKS, A. and KLEE, H.: Robust approach for suburban road segmentation in high-resolution aerial images, 307
GUO, G. and XIE, G.: Technical Notes. Earthquake cloud over Japan detected by satellite, 5375
GUO, G. and XU, D.: Technical Notes. Reconstructing the paleoclimate record of Lupobupo salt lake with Landsat TM data, 5295
GUO, J., *see* Cai, G.
GUO, X. G., *see* Wunderle, A. L.
GUO, X., *see* He, Y.
GUPTA, A., THAPLIYAL, P. K. and PAL, P. K.: Identification of dry and wet soil conditions using TRMM/TMI brightness temperatures and potential for drought monitoring, 1425

GUPTA, M., *see* Rajawat, A. S.
GUPTA, P., CHRISTOPHER, S. A., BOX, M. A. and BOX, G. P.: Multi year satellite remote sensing of particulate matter air quality over Sydney, Australia, 4483
GUPTA, S. S., *see* Jade, S.
GUZMAN, H. M., *see* Benfield, S. L.

HAAG, F., *see* Pesaresi, M.
HADI, F., *see* Wikantika, K.
HAGENBEEK, D., *see* Chaerle, L.
HAGINOYA, S., *see* Wang, K.
HALE, A. N., *see* Resasco, J.
HAMANDAWANA, H., ECKARDT, F. and RINGROSE, S.: Proposed methodology for georeferencing and mosaicking Corona photographs, 5
HAMANDAWANA, H.: High resolution Corona mosaic subset of the Okavango Delta's Thamalakane River: 25 September 1967, 3
HAN, F. X., *see* Sridhar, B. B. M.
HAN, T., *see* Coops, N. C.
HAN, Z. W., *see* Yan, C. Z.
HANSEN, L. B., *see* Olwig, M. F.
HAO, X., QU, J. J., HAUSS, B. and WANG, C.: A high-performance approach for brightness temperature inversion, 4733
HAO, X., *see* Wang, L.
HAO, X., *see* Xie, Y.
HARDMAN-MOUNTFORD, N. J., *see* Aiken, J.
HARTLEY, A., *see* Belward, A. S.
HAUSER, A., *see* Foppa, N.
HAUSS, B., *see* Hao, X.
HAYAKAWA, M., *see* Horie, T.
HAYAKAWA, M., *see* Ohta, K.
HAYASAKA, T., *see* Matsuoka, M.
HE, Y., GUO, X. and SI, B. C.: Detecting grassland spatial variation by a wavelet approach, 1527
HENRY, M. C., *see* Resasco, J.
HERMANCE, J. F.: Stabilizing high-order, non-classical harmonic analysis of NDVI data for average annual models by damping model roughness, 2801
HEROLD, M., *see* Hüttich, C.
HETZHEIM, H.: Automated contrail and cirrus detection using stochastic properties, 2033
HEYGSTER, G., *see* Laue, H.
HILL, R. A., *see* Smith, G. M.
HINTON, S., *see* Stow, D.
HIRATA, M., *see* Muramatsu, K.
HO, C.-H., *see* Choi, Y.-S.
HOFFMANN, J.: Mapping damage during the Bam (Iran) earthquake using interferometric coherence, 1199
HOGAN, R. J., *see* Naud, C.
HØGDA, K.-A., *see* Beck, P. S. A.
HØKEDAL, J., *see* Sørensen, K.
HOLBEN, B., *see* Zhong, B.

HOLDEN, Z. A., *see* Smith, A. M. S.
HOLECZ, F., *see* Blaes, X.
HONDA, Y., *see* Matsuoka, M.
HONG, Y. and ADLER, R. F.: Towards an early-warning system for global landslides triggered by rainfall and earthquake, 3713
HOPE, A., *see* Stow, D.
HOPE, A., TAGUE, C. and CLARK, R.: Characterizing post-fire vegetation recovery of California chaparral using TM/ETM+ time-series data, 1339
HORIE, T., MAEKAWA, S., YAMAUCHI, T. and HAYAKAWA, M.: A possible effect of ionospheric perturbations associated with the Sumatra earthquake, as revealed from subionospheric very-low-frequency (VLF) propagation (NWC-Japan), 3133
HORIE, T., *see* Inoue, Y.
HOUBORG, R., SOEGAARD, H., EMMERICH, W. and MORAN, S.: Inferences of all-sky solar irradiance using Terra and Aqua MODIS satellite data, 4509
HOYANO, A., *see* Nonaka, T.
HSU, C. H., *see* Yang, M. D.
HU, D., *see* Chen, Y.
HU, Y., *see* Cai, G.
HUANG, B., *see* Zhang, L.
HUANG, J. F., *see* Chen, L.
HUANG, T. M., *see* Lee, Y. J.
HUBBARD, S., *see* Curran, P. J.
HUDAK, A. T., *see* Smith, A. M. S.
HUETE, A. R., *see* Ferreira, N. C.
HUH, O. K., *see* Kiage, L. M.
HÜTTICH, C., HEROLD, M., SCHMULLIUS, C., EGOROV, V. and BARTALEV, S. A.: Indicators of Northern Eurasia's land-cover change trends from SPOT-VEGETATION time-series analysis 1998–2005, 4199

ICHII, K., *see* Nagai, S.
IMAI, A., *see* Oyama, Y.
IMRE, A. R.: Technical Note. Systematic error in the determination of perimeter and area of off-lattice digitalized images, 5071
INOUE, Y., QI, J., OLIOSO, A., KIYONO, Y., HORIE, T., ASAI, H., SAITO, K., OCHIAI, Y., SHIRAIWA, T. and DOUANGSAVANH, L.: Traceability of slash-and-burn land-use hi story using optical satellite sensor imagery: a basis for chronosequential assessment of ecosystem carbon stock in Laos, 5641
IOANNIDOU, S., *see* Karathanassi, V.
ISERN-FONTANET, J., *see* Turiel, A. GARCIA-LADONA, E., *see* Turiel, A.
ISHIZAKA, J., *see* Tan, C. K.

JADE, S., VIJAYAN, M. S. M., GUPTA, S. S., KUMAR, P. D., GAUR, V. K. and ARUMUGAM, S.: Effect of the *M* 9.3 Sumatra–Andaman islands earthquake of 26 December 2004 at several permanent and campaign GPS stations in the Indian continent, 3045
JAIN, S. K., *see* Goel, M. K.
JAIN, S.: Technical Note: Use of IKONOS satellite data to identify informal settlements in Dehradun, India, 3227

JASROTIA, A. S., KUMAR, R. and SARAF, A. K.: Delineation of groundwater recharge sites using integrated remote sensing and GIS in Jammu district, India, 5019
JAYAKUMAR, S., *see* Chauhan, O. S.
JELENAK, A., *see* Sullivan, J.
JENA, B., *see* Choudhury, S. B.
JEYASEELAN, A. T., ROY, P. S. and YOUNG, S. S.: Persistent changes in NDVI between 1982 and 2003 over India using AVHRR GIMMS (Global Inventory Modeling and Mapping Studies) data, 4927
JEZEK, K. C., *see* Kim, K.
JEZEK, K. C., *see* Liu, H.
JIN, Y. Q., *see* Cao, G.
JIN, Y.-Q., *see* Peng, J.
JING, L., *see* Chen, Y.
JONNA, S., BADRINATH, K. V. S., CHANDRASEKHAR, G., AMMINEDU, E. and CHAND, T. R. K.: Crop surface temperature estimation in irrigated command areas using MODIS satellite data, 5195
JÖNSSON, P., *see* Beck, P. S. A.
JÖNSSON, P., *see* Tottrup, C.
JØRGENSEN, R. N., CHRISTENSEN, L. K. and BRO, R.: Spectral reflectance at sub-leaf scale including the spatial distribution discriminating NPK stress characteristics in barley using multiway partial least squares regression, 943
JOSEPH, K. A., *see* Wynne, R. H.

KAFATOS, M., *see* Liu, X.
KAFATOS, M., *see* Prasad, A. K.
KAFATOS, M., *see* Singh, R. P.
KAIHOTSU, I., *see* Muramatsu, K.
KALINGA, O. A. and GAN, T. Y.: Small storm precipitation estimation using merged radar and gauging data, 1101
KALLEL, A., *see* Zribi, M.
KANDA, K., *see* Shibayama, M.
KANG, I. J., *see* Choi, H.
KAPOOR, M., *see* Rao, N. R.
KARATHANASSI, V., KOLOKOUSIS, P. and IOANNIDOU, S.: A comparison study on fusion methods using evaluation indicators, 2309
KARGI, H.: Principal components analysis for borate mapping, 1805
KARLSEN, S. R., *see* Beck, P. S. A.
KARPUZ, C., *see* Kocal, A.
KARUNAGARAN, V. M., *see* Olwig, M. F.
KAYA, S., *see* Sertel, E.
KELLER, G. R., *see* Xie, H.
KERAMAT, M., *see* Rahman, S.
KERSHNER, C., *see* Rahman, M. M.
KHALAF, A. W., *see* Rukieh, M.
KHAN, S. A., *see* Bhattacharya, B. K.
KHODAPARAST, H., *see* Shahraiyni, H. T.
KHUDHAIRY, D., *see* Belward, A. S.

KIAGE, L. M., LIU, K.-B., WALKER, N. D., LAM, N. and HUH, O. K.: Recent land-cover/use change associated with land degradation in the Lake Baringo catchment, Kenya, East Africa: evidence from Landsat TM and ETM+, 4285

KIM, K., JEZEK, K. C. and LIU, H.: Orthorectified image mosaic of Antarctica from 1963 Argon satellite photography: image processing and glaciological applications, 5357

KIM, Y. and REID, J. F.: Bidirectional effect on a spectral image sensor for in-field crop reflectance assessment, 4913

KIM, Y.-M., *see* Choi, Y.-S.

KIMURA, R., *see* Liu, Y.

KING, S., *see* Gower, J.

KINZELBACH, W., *see* Brunner, P.

KIYONO, Y., *see* Inoue, Y.

KLEE, H., *see* Guo, D.

KNEUBUEHLER, M., *see* Zurita-Milla, R.

KNUST, S. S. A., *see* Rabelo, T. N.

KOCAL, A., DUZGUN, H. S. and KARPUZ, C.: An accuracy assessment methodology for the remotely sensed discontinuities: a case study in Andesite Quarry area, Turkey, 3915

KOCH, B., *see* Balic, N.

KOGAN, F., *see* Salazar, L.

KOKHANOVSKY, A. A., VOUNTAS, M., ROZANOV, V. V., LOTZ, W., BOVENSMANN, H. and BURROWS, J. P.: Global cloud top height and thermodynamic phase distributions as obtained by SCIAMACHY on ENVISAT, 4499

KOLOKOUSIS, P., *see* Karathanassi, V.

KRAWCZYK, H., NEUMANN, A., GERASCH, B. and WALZEL, T.: Regional products for the Baltic Sea using MERIS data, 593

KROPÁČEK, J., *see* Durieux, L.

KRZYŚCIN, J. W. and RAJEWSKA-WIĘCH, B.: Preliminary comparison of the ozone vertical profiles from Umkehr and ozonesonde measurements over Poland with EOS-MLS Aura spacecraft overpasses, 2004–2005, 1089

KUENZER, C., ZHANG, J., LI, J., VOIGT, S., MEHL, H. and WAGNER, W.: Detecting unknown coal fires: synergy of automated coal fire risk area delineation and improved thermal anomaly extraction, 4561

KULKARNI, A. V., *see* Bahuguna, I. M.

KUMAR, A., CHINGKHEI, R. K. and DOLENDRO, T.: Tsunami damage assessment: a case study in Car Nicobar Island, India, 2937

KUMAR, A., UNIYAL, S. K. and LAL, B.: Stratification of forest density and its validation by NDVI analysis in a part of western Himalaya, India using Remote sensing and GIS techniques, 2485

KUMAR, L., *see* Mutanga, O.

KUMAR, M. R. R., *see* Satheesan, K.

KUMAR, N., *see* Agrawal, A.

KUMAR, P. D., *see* Jade, S.

KUMAR, P. K. D., GOPINATH, G. and SERALATHAN, P.: Application of remote sensing and GIS for the demarcation of groundwater potential zones of a river basin in Kerala, southwest coast of India, 5583

KUMAR, P., *see* Goel, M. K.

KUMAR, R., *see* Jasrotia, A. S.
KUMAR, V., *see* Bhattacharya, B. K.
KUPLICH, T. M., *see* Shimabukuro, Y. E.
KURODA, Y., *see* Satheesan, K.
KUTOGLU, S. H., *see* Sertel, E.

LABRADOR-GARCIA, M., *see* Geerling, G. W.
LAL, B., *see* Kumar, A.
LAM, N., *see* Kiage, L. M.
LAMBIN, E. F., *see* Lupo, F.
LANKESTER, T., *see* Curran, P. J.
LANORTE, A., *see* Telesca, L.
LASAPONARA, R., *see* Telesca, L.
LATIFOVIC, R., *see* Olthof, I.
LAUE, H., ANDERSEN, S., MELSHEIMER, C. and HEYGSTER, G.: Potential of SSMIS to derive cloud liquid water over sea ice, 4693
LAURILA, T., *see* Sánchez, J. M.
LAVENDER, S., *see* Aiken, J.
LE BORGNE, H., *see* Gomez, C.
LEBLON, B., *see* Abbott, K. N.
LEDRU, P., *see* Gomez, C.
LEE, H. Y., *see* Borghuis, A. M.
LEE, S.: Landslide susceptibility mapping using an artificial neural network in the Gangneung area, Korea, 4763
LEE, Y. J., CHANG, K. W., SHEN, Y., HUANG, T. M. and TSAY, H. L.: A handy imaging system for precision agriculture studies, 4867
LEITER, C., *see* Meyer, R.
LEMMA, M., *see* Dinku, T.
LENOTRE, N., *see* Baghdadi, N.
LENTILE, L. B., *see* Smith, A. M. S.
LEPPÄRANTA, M. and LEWIS, J. E.: Observations of ice surface temperature and thickness in the Baltic Sea, 3963
LEROY, M., *see* Gascon, F.
LEVIN, N., LUGASSI, R., RAMON, U., BRAUN, O. and BEN-DOR, E.: Remote sensing as a tool for monitoring plasticulture in agricultural landscapes, 183
LEWIS, J. E., *see* Leppäranta, M.
LI, C. J., *see* Zhang, G. F.
LI, G. and WENG, Q.: Measuring the quality of life in city of Indianapolis by integration of remote sensing and census data, 249
LI, H. T., *see* Brunner, P.
LI, J., *see* Chen, Y.
LI, J., *see* Kuenzer, C.
LI, L., MA, J. and WEN, Q.: Parallel fine spatial resolution satellite sensor image segmentation based on an improved Pulse-Coupled Neural Network, 4191
LI, P. and XIAO, X.: Multispectral image segmentation by a multichannel watershed-based approach, 4429
LI, P., *see* Zhang, L.
LI, Q., *see* Zuo, X.
LI, W. P., *see* Brunner, P.

LI, W., *see* Zhang, C.
LI, X., *see* Chen, Y.
LI, X., YEH, A. G.-O., WANG, S., LIU, K., LIU, X., QIAN, J. and CHEN, X.: Regression and analytical models for estimating mangrove wetland biomass in South China using Radarsat images, 5567
LIANG, S., *see* Zhong, B.
LILLESAND, T. M., *see* Chipman, J. W.
LILLESAND, T. M., *see* Dash, J.
LILLO-SAAVEDRA, M. and GONZALO, C.: Multispectral images fusion by a joint multidirectional and multiresolution representation, 4065
LIMA, W. F. A., MACHADO, L. A. T., MORALES, C. A. and VILTARD, N.: Rainfall sensitivity analyses for the HSB sounder: an Amazon case study, 3529
LIN, A. and NISHIKAWA, M.: Coseismic lateral offsets of surface rupture zone produced by the 2001 M_w 7.8 Kunlun earthquake, Tibet from the IKONOS and QuickBird imagery, 2431
LIN, C.-W., *see* Liu, C.-C.
LIN, E.-K., *see* Tsai, F.
LINDERMAN, M., *see* Lupo, F.
LING, F., ZHANG, Q. W. and WANG, C.: Filling voids of SRTM with Landsat sensor imagery in rugged terrain, 465
LIPPITT, C., *see* Stow, D.
LIU, C.-C., LIU, J.-G., LIN, C.-W., WU, A.-M., LIU, S.-H. and SHIEH, C.-L.: Image processing of FORMOSAT-2 data for monitoring the South Asia tsunami, 3093
LIU, H., *see* Kim, K.
LIU, H., YU, J., ZHAO, Z. and JEZEK, K. C.: Calibrating and mosaicking surface velocity measurements from interferometric SAR data with a simultaneous least-squares adjustment approach, 1217
LIU, J., *see* Wang, K.
LIU, J.-G., *see* Liu, C.-C.
LIU, K., *see* Li, X.
LIU, K., *see* Shi, W.
LIU, K.-B., *see* Kiage, L. M.
LIU, S.-H., *see* Liu, C.-C.
LIU, W., *see* Luo, J.
LIU, X. and KAFATOS, M.: MISR multi-angular spectral remote sensing for temperate forest mapping at 1.1-km resolution, 459
LIU, X., *see* Li, X.
LIU, Y. G., *see* Xiu, P.
LIU, Y., YANO, T., NISHIYAMA, S. and KIMURA, R.: Radiometric correction for linear change-detection techniques: analysis in bi-temporal space, 5143
LIU, Z., SONG, P., ZHANG, J. and WANG, J.: Bidimensional Empirical Mode Decomposition for the fusion of multispectral and panchromatic images, 4081
LLEWELLYN, G. M., *see* Curran, P. J.
LOBSER, S. E. and COHEN, W. B.: MODIS tasselled cap: land cover characteristics expressed through transformed MODIS data, 5079
LODDO, F., *see* Pesci, A.
LONG, D. S., *see* Eitel, J. U. H.
LONGCORE, T., *see* Elvidge, C. D.
LOPEZ, A., *see* Stow, D.

LOTZ, W., *see* Kokhanovsky, A. A.
LOUPIAN, E. A., *see* Bartalev, S. A.
LU, D. and WENG, Q.: Review article: A survey of image classification methods and techniques for improving classification performance, 823
LU, D., BATISTELLA, M. and MORAN, E.: Land-cover classification in the Brazilian Amazon with the integration of Landsat ETM+ and Radarsat data, 5447
LU, D.: Technical note: Detection and substitution of clouds/hazes and their cast shadows on IKONOS images, 4027
LU, S. L., *see* Zhang, G. F.
LU, S., OKI, K., SHIMIZU, Y. and OMASA, K.: Comparison between several feature extraction/classification methods for mapping complicated agricultural land use patches using airborne hyperspectral data, 963
LUCKMAN, A., *see* Balzter, H.
LUGASSI, R., *see* Levin, N.
LUO, J., MING, D., LIU, W., SHEN, Z., WANG, M. and SHENG, H.: Extraction of bridges over water from IKONOS panchromatic data, 3633
LUO, J., MING, D., SHEN, Z., WANG, M. and SHENG, H.: Multi-scale information extraction from high resolution remote sensing imagery and region partition methods based on GMRF–SVM, 3395
LUO, Y., *see* Cai, G.
LUPO, F., LINDERMAN, M., VANACKER, V., BARTHOLOMÉ, E. and LAMBIN, E. F.: Categorization of land-cover change processes based on phenological indicators extracted from time series of vegetation index data, 2469

MA, J., *see* Chen, X.
MA, J., *see* Li, L.
MA, M., WANG, X., VEROUSTRAETE, F. and DONG, L.: Change in area of Ebinur Lake during the 1998–2005 period, 5523
MA, S.-N., *see* Yue, T.-X.
MACHADO, L. A. T., *see* Lima, W. F. A.
MACLEAN, D. A., *see* Abbott, K. N.
MAEKAWA, S., *see* Horie, T.
MAGGI, M., ESTREGUIL, C. and SOILLE, P.: Woody vegetation increase in Alpine areas: a proposal for a classification and validation scheme, 143
MAIER, S. W., *see* Günther, K. P.
MAIR, J. M., *see* Benfield, S. L.
MAJUMDAR, T. J., *see* Chatterjee, S.
MALDONADO, F. D., SANTOS, J. R. and GRAÇA, P. M. L.: Change detection technique based on the radiometric rotation controlled by no-change axis, applied on a semi-arid landscape, 1789
MALIK, M. A., *see* Chauhan, O. S.
MANCHESTER, S. J., *see* Thomson, A. G.
MANDA, A., *see* Tan, C. K.
MANNSTEIN, H., *see* Denis, M.-A.
MANNSTEIN, H., *see* Meyer, R.
MANNSTEIN, H., *see* Muller, J.-P.
MARTÍNEZ-CASASNOVAS, J. A., *see* Cots-Folch, R.
MARTONCHIK, J. V., *see* Su, L.
MATHUR, A., *see* Agarwal, V. K.

MATHUR, A., *see* Dash, J.
MATRICARDI, E. A. T., SKOLE, D. L., COCHRANE, M. A., PEDLOWSKI, M. and CHOMENTOWSKI, W.: Multi-temporal assessment of selective logging in the Brazilian Amazon using Landsat data, 63
MATSUNAGA, T., *see* Nonaka, T.
MATSUOKA, M., HAYASAKA, T., FUKUSHIMA, Y. and HONDA, Y.: Land cover in East Asia classified using Terra MODIS and DMSP OLS products, 221
MATSUOKA, M., *see* Vu, T. T.
MATSUSHITA, B., *see* Oyama, Y.
MAXWELL, S. K., SCHMIDT, G. L. and STOREY, J. C.: A multi-scale segmentation approach to filling gaps in Landsat ETM+ SLC-off images, 5339
MAYUNGA, S. D., COLEMAN, D. J. and ZHANG, Y.: A semi-automated approach for extracting buildings from QuickBird imagery applied to informal settlement mapping, 2343
MCADOO, B. G., RICHARDSON, N. and BORRERO, J.: Inundation distances and run-up measurements from ASTER, QuickBird and SRTM data, Aceh coast, Indonesia, 2961
MCALLISTER, D. M. and VALEO, C.: A robust new method for the remote estimation of LAI in montane and boreal forests, 1891
MEHL, H., *see* Kuenzer, C.
MEISTER, R., *see* Foppa, N.
MELSHEIMER, C., *see* Laue, H.
MENDOZA-DURÁN, A., *see* Quiñonez-Piñón, R.
MENEZES, A. A. A., *see* Chauhan, O. S.
MERINO-DE-MIGUEL, S., *see* García-Gigorro, S.
MERINO-DE-MIGUEL, S., *see* González-Alonso, F.
MEYER, R., BUELL, R., LEITER, C., MANNSTEIN, H., PECHTL, S., OKI, T. and WENDLING, P.: Contrail observations over Southern and Eastern Asia in NOAA/AVHRR data and comparisons to contrail simulations in a GCM, 2049
MICHIELON, M., *see* Belward, A. S.
MIDDELKOOP, H., *see* Straatsma, M.
MIETTINEN, J.: Variability of fire-induced changes in MODIS surface reflectance by land-cover type in Borneo, 4967
MILINEVSKY, G., *see* Grytsai, A.
MING, D., *see* Luo, J.
MITCHELL, K. L., *see* Muller, J.-P.
MITCHELL, K. L., *see* Naud, C.
MITRA, D. S., *see* Dave, H. D.
MOLDEN, D., *see* Canisius, F.
MOLLICONE, D., *see* Belward, A. S.
MONTS, D. L., *see* Sridhar, B. B. M.
MOORE, G. F., *see* Aiken, J.
MORALES, C. A., *see* Lima, W. F. A.
MORAN, E., *see* Lu, D.
MORAN, M. S., *see* Rahman, M. M.
MORAN, S., *see* Houborg, R.
MORENO, J., *see* Guanter, L.
MORGAN, P., *see* Smith, A. M. S.
MORIMOTO, H., *see* Nagai, S.

MÜCHER, C. A., *see* Clevers, J. G. P. W.
MULLER, J.-P. and FISCHER, J.: The EU-CLOUDMAP project: Cirrus and contrail cloud-top maps from satellites for weather forecasting climate change analysis, 1915
MULLER, J.-P., DENIS, M.-A., DUNDAS, R. D., MITCHELL, K. L., NAUD, C. and MANNSTEIN, H.: Stereo cloud-top heights and cloud fraction retrieval from ATSR-2, 1921
MULLER, J.-P., *see* Denis, M.-A.
MULLER, J.-P., *see* Naud, C.
MULLER, J.-P.: Cover. New satellite cloud products for cirrus and contrails (CLOUDMAP): example of multi-layer cloud detection using multi-spectral stereo, 1913
MÜLLER, R., *see* Palubinskas, G.
MURA, J. C., *see* Rabelo, T. N.
MURAMATSU, K., *see* Zhang, L.
MURAMATSU, K., XIONG, Y., NAKAYAMA, S., OCHIAI, F., DAIGO, M., HIRATA, M., OISHI, K., BOLORTSETSEG, B., OYUNBAATAR, D. and KAIHOTSU, I.: A new vegetation index derived from the pattern decomposition method applied to Landsat-7/ETM+ images in Mongolia, 3493
MUTANGA, O. and KUMAR, L.: Estimating and mapping grass phosphorus concentration in an African savanna using hyperspectral image data, 4897
MYINT, S. W., *see* Tang, J.

NAGAI, S., ICHII, K. and MORIMOTO, H.: Interannual variations in vegetation activities and climate variability caused by ENSO in tropical rainforests, 1285
NAGAI, T., *see* Oyama, Y.
NAKAYAMA, S., *see* Muramatsu, K.
NANNI, M. R., *see* Demattê, J. A. M.
NAUD, C., MITCHELL, K. L., MULLER, J.-P., CLOTHIAUX, E. E., ALBERT, P., PREUSKER, R., FISCHER, J. and HOGAN, R. J.: Comparison between ATSR-2 stereo, MOS O_2-A band and ground-based cloud top heights, 1969
NAUD, C., *see* Muller, J.-P.
NAYAK, S. R., *see* Chauhan, O. S.
NAYAK, S., *see* Bahuguna, I. M.
NAYAK, S., *see* Rajawat, A. S.
NEGI, H. S., *see* Bahuguna, I. M. MATHUR, P., *see* Bahuguna, I. M.
NEIGH, C. S. R., TUCKER, C. J. and TOWNSHEND, J. R. G.: Synchronous NDVI and surface air temperature trends in Newfoundland: 1982 to 2003, 2581
NELSON, G. C. and ROBERTSON, R. D.: Comparing the GLC2000 and GeoCover LC land cover datasets for use in economic modelling of land use, 4243
NEMANI, R., *see* Elvidge, C. D.
NEUMANN, A., *see* Krawczyk, H.
NIANG, A., *see* Brajard, J.
NICHOL, J. and WONG, M. S.: Remote sensing of urban vegetation life form by spectral mixture analysis of highresolution IKONOS satellite images, 985
NICHOLSON, M., *see* Palamara, D. R.
NICLÓS, R., *see* Sánchez, J. M.
NIPHADKAR, M., *see* Stow, D.
NISHIKAWA, M., *see* Lin, A.

NISHIYAMA, S., *see* Liu, Y.
NONAKA, T., MATSUNAGA, T. and HOYANO, A.: Relationships between ice breakup dates of lakes and local air temperature on the Eurasian continent, 5535
NYBORG, L., *see* Olwig, M. F.

OCHIAI, F., *see* Muramatsu, K.
OCHIAI, Y., *see* Inoue, Y.
OESCH, D., *see* Foppa, N.
OHDE, T., SIEGEL, H. and GERTH, M.: Validation of MERIS Level-2 products in the Baltic Sea, the Namibian coastal area and the Atlantic Ocean, 609
OHTA, K., WATANABE, N. and HAYAKAWA, M.: The observation of ultra-low frequency emissions at Nakatsugawa, Japan, in possible association with the Sumatra, Indonesia, earthquake, 3121
OISHI, K., *see* Muramatsu, K.
OKI, K., *see* Lu, S.
OKI, T., *see* Meyer, R.
OLIOSO, A., *see* Inoue, Y.
OLIVERI, S., *see* Boschetti, M.
OLTHOF, I. and LATIFOVIC, R.: Short-term response of arctic vegetation NDVI to temperature anomalies, 4823
OLWIG, M. F., SØRENSEN, M. K., RASMUSSEN, M. S., DANIELSEN, F., SELVAM, V., HANSEN, L. B., NYBORG, L., VESTERGAARD, K. B., PARISH, F. and KARUNAGARAN, V. M.: Using remote sensing to assess the protective role of coastal woody vegetation against tsunami waves, 3153
OMASA, K., *see* Lu, S.
OMUTO, C. T. and SHRESTHA, D. P.: Remote sensing techniques for rapid detection of soil physical degradation, 4785
ORR, B. J., *see* Rahman, M. M.
OTTLÉ, C., *see* Zribi, M.
OYAMA, Y., MATSUSHITA, B., FUKUSHIMA, T., NAGAI, T. and IMAI, A.: A new algorithm for estimating chlorophyll-*a* concentration from multi-spectral satellite data in case II waters: a simulation based on a controlled laboratory experiment, 1437
OYUNBAATAR, D., *see* Muramatsu, K.
OZA, S. R. and PARIHAR, J. S.: Evaluation of Ku-band QuikSCAT scatterometer data for rice crop growth stage assessment, 3447

PAGANINI, M., *see* Baghdadi, N.
PAL, P. K., *see* Gupta, A.
PALAMARA, D. R., NICHOLSON, M., FLENTJE, P., BAAFI, E. and BRASSINGTON, G. M.: An evaluation of airborne laser scan data for coalmine subsidence mapping, 3181
PALANIKUMAR, R., *see* Sathymoorthy, D.
PALUBINSKAS, G., MÜLLER, R., REINARTZ, P. and SCHROEDER, M.: Radiometric normalization of sensor scan angle effects in optical remote sensing imagery, 4453
PANDA, S. K., CHOUDHURY, S., SARAF, A. K. and DAS, J. D.: MODIS land surface temperature data detects thermal anomaly preceding 8 October 2005 Kashmir earthquake, 4587
PANDA, S., *see* Choudhury, S.

PANDA, S., *see* Das, J. D.
PARADELLA, W. R., *see* Rabelo, T. N.
PAREKH, A., *see* Agarwal, V. K.
PAREKH, A., *see* Satheesan, K.
PARIHAR, J. S., *see* Bhattacharya, B. K.
PARIHAR, J. S., *see* Oza, S. R.
PARISH, F., *see* Olwig, M. F.
PARKASH, B., *see* Singh, A. K.
PARLOW, E., *see* Frey, C. M.
PASTERKAMP, R., *see* Eleveld, M. A.
PECHTL, S., *see* Meyer, R.
PEDLOWSKI, M., *see* Matricardi, E. A. T.
PEDREROS, R., *see* Baghdadi, N.
PEKEL, J.-F., *see* Vancutsem, C.
PENG, J. and JIN, Y.-Q.: An unbiased algorithm for detection of curvilinear structures in urban remote sensing images, 5377
PENG, J., WANG, Y., YE, M., WU, J. and ZHANG, Y.: Effects of land-use categorization on landscape metrics: A case study in urban landscape of Shenzhen, China, 4877
PENG, Y., *see* Yang, J.
PEREIRA, J. M. C., *see* Sá, A. C. L.
PESARESI, M., GERHARDINGER, A. and HAAG, F.: Rapid damage assessment of built-up structures using VHR satellite data in tsunami-affected areas, 3013
PESCI, A., LODDO, F. and CONFORTI, D.: The first terrestrial laser scanner application over Vesuvius: High resolution model of a volcano crater, 203
PETERS, D. P. C., *see* Su, L.
PETERSEN, A., *see* Stow, D.
PETIT, S., *see* Thomson, A. G.
PETRAKIS, M., *see* Stathopoulou, M.
PETTERSSON, L. H., *see* Folkestad, A.
PETTIT, D. R., *see* Elvidge, C. D.
PHILIP, G.: Remote sensing data analysis for mapping active faults in the northwestern part of Kangra Valley, NW Himalaya, India, 4745
PIEPHO, H. P.: Comment on the article on 'Within-field wheat yield prediction from IKONOS data, a new matrix approach' by E. A. Enclona, P. S. Thenkabail, D. Celis and J. Diekmann, *International Journal of Remote Sensing*, 25, 377–388 (2004), 1907
PINKER, R. T., *see* Sun, D.
PRADHAN, Y., *see* Chauhan, O. S.
PRASAD, A. K. and SINGH, R. P.: Cover: Features of Hurricane Katrina using multi sensor data, 4709
PRASAD, A. K., *see* Singh, R. P.
PRASAD, A. K., SINGH, R. P., TARE, V. and KAFATOS, M.: Use of vegetation index and meteorological parameters for the prediction of crop yield in India, 5207
PREUSKER, R., FISCHER, J., ALBERT, P., BENNARTZ, R. and SCHÜLLER, L.: Cloud-top pressure retrieval using the oxygen A-band in the IRS-3 MOS instrument, 1957
PREUSKER, R., *see* Delwart, S.
PREUSKER, R., *see* Naud, C.

PREUSKER, R., *see* Shahraiyni, H. T.
PRUSTY, G., DASH, S. and SINGH, M. P.: Spatio-temporal analysis of multi-date IRS imageries for turtle habitat dynamics characterization at Gahirmatha coast, India, 871
PUECH, C., *see* Bailly, J. S.
PUGNAGHI, S., *see* Amici, S.
PURCELL, P. W., *see* Smith, G. M.

QI, J., *see* Inoue, Y.
QI, S., *see* Cai, G.
QIAN, J., *see* Li, X.
QIAO, H., *see* Chen, X.
QIE, Y. F., *see* Yan, C. Z.
QU, J. J., *see* Hao, X.
QU, J. J., *see* Wang, L.
QU, J. J., *see* Xie, Y.
QUIÑONEZ-PIÑÓN, R., MENDOZA-DURÁN, A. and VALEO, C.: Design of an environmental monitoring program using NDVI and cumulative effects assessment, 1643

RABELO, T. N., PARADELLA, W. R., SANTOS, A. R., RENNÓ, C. D., GALVÃO, L. S., MURA, J. C. and KNUST, S. S. A.: Evaluating the discrimination of Cu-mineralized rock alteration products from simulated MAPSAR Images in the Curaçá Valley, Brazil, 4701
RADHAKRISHNA, M., *see* Agrawal, A.
RAGAS, A. M. J., *see* Geerling, G. W.
RAHMAN, H., *see* Rahman, S.
RAHMAN, M. M. and CSAPLOVICS, E.: Examination of image fusion using synthetic variable ratio (SVR) technique, 3413
RAHMAN, M. M., MORAN, M. S., THOMA, D. P., BRYANT, R., SANO, E. E., COLLINS, C. D. H., SKIRVIN, S., KERSHNER, C. and ORR, B. J.: A derivation of roughness correlation length for parameterizing radar backscatter models, 3995
RAHMAN, S., RAHMAN, H. and KERAMAT, M.: Study on the seasonal changes of land cover and their impact on surface albedo in the northwestern part of Bangladesh using remote sensing, 1001
RAJAWAT, A. S., GUPTA, M., ACHARYA, B. C. and NAYAK, S.: Impact of new mouth opening on morphology and water quality of the Chilika Lagoon – a study based on Resourcesat-1 LISS-III and AWiFS and IRS-1D LISS-III data, 905
RAJAWAT, A. S., *see* Chauhan, O. S.
RAJEWSKA-WIĘCH, B., *see* Krzyścin, J. W.
RAJPAL, H., *see* Choudhury, S.
RAMANAMURTY, M. V., *see* Chauhan, O. S.
RAMON, D., *see* Delwart, S.
RAMON, D., *see* Santer, R.
RAMON, U., *see* Levin, N.
RANGO, A., *see* Su, L.
RAO, K. H., *see* Choudhury, S. B.
RAO, K. H., *see* Sasamal, S. K.
RAO, M. V., *see* Choudhury, S. B.

RAO, N. R., GARG, P. K. and GHOSH, S. K.: Evaluation of radiometric resolution on land use/land cover mapping in an agricultural area, 443
RAO, N. R., KAPOOR, M., SHARMA, N. and VENKATESWARLU, K.: Yield prediction and waterlogging assessment for tea plantation land using satellite imagebased techniques, 1561
RAS, J., *see* Aiken, J.
RASMUSSEN, M. S., *see* Olwig, M. F.
RASMUSSEN, M. S., *see* Tottrup, C.
RATHORE, B. P., *see* Bahuguna, I. M.
RAYCHAUDHURI, B. and BHATTACHARYYA (NÉE BHAUMIK), S.: Temporal change in canopy reflectance at visible wavelength as a biophysical indicator of jute (*Corchorus capsularis* L.) growth, 5237
REID, J. F., *see* Kim, Y.
REINARTZ, P., *see* Palubinskas, G.
REMBOLD, F., *see* Belward, A. S.
REN, Z., *see* Wang, X.
RENNÓ, C. D., *see* Rabelo, T. N.
RESASCO, J., HALE, A. N., HENRY, M. C. and GORCHOV, D. L.: Detecting an invasive shrub in a deciduous forest understory using late-fall Landsat sensor imagery, 3739
RICH, C., *see* Elvidge, C. D.
RICHARDSON, A. D., *see* Thorhaug, A.
RICHARDSON, N., *see* McAdoo, B. G.
RICO-RAMIREZ, M. A. and CLUCKIE, I. D.: Bright-band detection from radar vertical reflectivity profiles, 4013
RIGO, G., *see* Frey, C. M.
RINGROSE, S., *see* Hamandawana, H.
ROBERTSON, R. D., *see* Nelson, G. C.
ROBINSON, C., *see* Ghoneim, E.
ROCCHINI, D.: Technical Note: Distance decay in spectral space in analysing ecosystem β-diversity, 2635
RODRIGUES, S. C., *see* Vrieling, A.
RODRÍGUEZ, P. G., GONZÁLEZ, M. E. P. and ZABALLOS, A. G.: Mapping of salt-affected soils using TM images, 2713
ROJAS, O.: Operational maize yield model development and validation based on remote sensing and agro-meteorological data in Kenya, 3775
ROLDÁN-ZAMARRÓN, A., *see* García-Gigorro, S.
ROLDÁN-ZAMARRÓN, A., *see* González-Alonso, F.
ROMO, A., CASANOVA, C., SANA, J., CALLE, A. and CASANOVA, J. L.: Relation between meteorological conditions and the catching of red tuna (*Thunnus thynnus*) from the measurements of the TOVS and AVHRR sensors of the NOAA satellites, 2671
RØNNING, H., *see* Weydahl, D. J.
ROPELEWSKI, C. F., *see* Dinku, T.
ROSENQVIST, A., *see* Almeida-Filho, R.
RÖTTGERS, R., *see* Sørensen, K.
ROWLAND, C., *see* Balzter, H.
ROY, P. S., *see* Jeyaseelan, A. T.
ROY, S., *see* Bhattacharya, B. K.

ROYO, C., *see* Alvaro, F.
ROYTMAN, L., *see* Salazar, L.
ROZANOV, V. V., *see* Kokhanovsky, A. A.
RUKIEH, M., AL-KAFRI, A. M. and KHALAF, A. W.: Spectral properties and reflectance curves of the revealed volcanic rocks in Syria using radiometric measurements, 3235

SÁ, A. C. L., PEREIRA, J. M. C. and GARDNER, R. H.: Analysis of the relationship between spatial pattern and spectral detectability of areas burned in southern Africa using satellite data, 3583
SADER, S. A., *see* Cordero-Sancho, S.
SAFRAN, J., *see* Elvidge, C. D.
SAGAR, B. S. D., *see* Sathymoorthy, D.
SAGAR, B. S. D., *see* Tay, L. T.
SAGSTUEN, J., *see* Weydahl, D. J.
SAHOO, A. K., *see* Singh, R. P.
SAHU, S. K., *see* Choudhury, S. B.
SAITO, K., *see* Inoue, Y.
SALAZAR, L., KOGAN, F. and ROYTMAN, L.: Use of remote sensing data for estimation of winter wheat yield in the United States, 3795
SALEH, M. A.: Covers. Mangrove vegetation on Abu Minqar island of the Red Sea, 5191
SAMEK, J., *see* Tottrup, C.
SANA, J., *see* Romo, A.
SÁNCHEZ, J. M., CASELLES, V., NICLÓS, R., VALOR, E., COLL, C. and LAURILA, T.: Evaluation of the *B*-method for determining actual evapotranspiration in a boreal forest from MODIS data, 1231
SANCHEZ-HERNANDEZ, C., *see* Foody, G. M.
SANO, E. E., FERREIRA, L. G., ASNER, G. P. and STEINKE, E. T.: Spatial and temporal probabilities of obtaining cloud-free Landsat images over the Brazilian tropical savanna, 2739
SANO, E. E., *see* Ferreira, M. E.
SANO, E. E., *see* Rahman, M. M.
SANTANA, L. M.: Landsat ETM+ image applications to extract information for environmental planning in a Colombian city, 4225
SANTEK, D. A. and WINGUTH, A.: A satellite view of internal waves induced by the Indian Ocean tsunami, 2927
SANTER, R., RAMON, D., VIDOT, J. and DILLIGEARD, E.: A surface reflectance model for aerosol remote sensing over land, 737
SANTER, R., *see* Brajard, J.
SANTER, R., *see* Delwart, S.
SANTOS, A. R., *see* Rabelo, T. N.
SANTOS, J. R., *see* Maldonado, F. D.
SARAF, A. K., *see* Choudhury, S.
SARAF, A. K., *see* Das, J. D.
SARAF, A. K., *see* Jasrotia, A. S.
SARAF, A. K., *see* Panda, S. K.

SARAF, A. K., SINHA, S. T., GHOSH, P. and CHOUDHURY, S.: Technical Note and Cover: A new technique to remove false topographic perception phenomenon and its impacts in image interpretation, 811

SARKAR, A., *see* Satheesan, K.

SARWAR, A. and BILL, R.: Mapping evapotranspiration in the Indus Basin using ASTER data, 5037

SASAMAL, S. K., RAO, K. H. and SURYAVANSI, U. M.: Technical Note. Sewage and industrial pollution in and around Thane Creek, Mumbai using high resolution IRS data, 4391

SASAMAL, S. K.: Island wake circulation off Maldives during boreal winter, as visualised with MODIS derived chlorophyll-*a* data and other satellite measurements, 891

SASAMAL, S. K.: Technical Note. On a 16° N chlorophyll plume along the east coast of India, 4671

SASAMAL, S. K.: Technical Note. On identification of wakes and trails at sea with IRS-P4 OCM data, 4397

SASAMAL, S. K.: Technical Note. Pre-monsoon Indian Ocean SST in contrasting years of Indian summer monsoon rainfall, 4403

SATHEESAN, K., SARKAR, A., PAREKH, A., KUMAR, M. R. R. and KURODA, Y.: Comparison of wind data from QuikSCAT and buoys in the Indian Ocean, 2375

SATHYMOORTHY, D., PALANIKUMAR, R. and SAGAR, B. S. D.: Morphological segmentation of physiographic features from DEM, 3379

SAUX-PICART, S., *see* Zribi, M.

SAWADOGO, S., *see* Brajard, J.

SCHAALE, M., *see* Schroeder, T.

SCHAALE, M., *see* Shahraiyni, H. T.

SCHAEPMAN, M. E., *see* Clevers, J. G. P. W.

SCHAEPMAN, M. E., *see* Zurita-Milla, R.

SCHILLER, H., *see* Doerffer, R.

SCHMIDT, G. L., *see* Maxwell, S. K.

SCHMULLIUS, C., *see* Hüttich, C.

SCHROEDER, M., *see* Palubinskas, G.

SCHROEDER, T., BEHNERT, I., SCHAALE, M., FISCHER, J. and DOERFFER, R.: Atmospheric correction algorithm for MERIS above case-2 waters, 1469

SCHROEDER, T., SCHAALE, M. and FISCHER, J.: Retrieval of atmospheric and oceanic properties from MERIS measurements: A new Case-2 water processor for BEAM, 5627

SCHÜLLER, L., *see* Preusker, R.

SCHUT, A. G. T., *see* VAN DER Heijden, G. W. A. M.

SEI, A.: Analysis of adjacency effects for two Lambertian half-spaces, 1873

SEIZ, G., SHIELDS, J., FEISTER, U., BALTSAVIAS, E. P. and GRUEN, A.: Cloud mapping with ground-based photogrammetric cameras, 2001

SELVAM, V., *see* Olwig, M. F.

SERALATHAN, P., *see* Kumar, P. K. D.

SERTEL, E., KUTOGLU, S. H. and KAYA, S.: Geometric correction accuracy of different satellite sensor images: application of figure condition, 4685

SESSIONS, H., *see* Aiken, J.

SGAVETTI, M., *see* Amici, S.

SHAH, C. A., VARSHNEY, P. K. and ARORA, M. K.: ICA mixture model algorithm for unsupervised classification of remote sensing imagery, 1711

SHAHRAIYNI, H. T., SCHAALE, M., FELL, F., FISCHER, J., PREUSKER, R., VATANDOUST, M., SHOURAKI, S. B., TAJRISHY, M., KHODAPARAST, H. and TAVAKOLI, A.: Application of the Active Learning Method for the estimation of geophysical variables in the Caspian Sea from satellite ocean colour observations, 4677

SHARMA, K., *see* Dutta, H. N.

SHARMA, N., *see* Rao, N. R.

SHARMA, R., *see* Agarwal, V. K.

SHEKHAR, C., *see* Bhattacharya, B. K.

SHEN, X. H., *see* Zhang, G. F.

SHEN, Y., *see* Lee, Y. J.

SHEN, Z., *see* Luo, J.

SHENG, H., *see* Luo, J.

SHI, P., *see* Chen, Y.

SHI, W., TIAN, Y. and LIU, K.: An integrated method for satellite image interpolation, 1355

SHIBAYAMA, M., KANDA, K. and SUGAHARA, K.: Water turbidity estimation using a hand-held spectropolarimeter to determine surface reflection polarization in visible, near and short-wave infrared bands, 3747

SHIEH, C.-L., *see* Liu, C.-C.

SHIELDS, J., *see* Seiz, G.

SHIMABUKURO, Y. E., ALMEIDA-FILHO, R., KUPLICH, T. M. and DE FREITAS, R. M.: Quantifying optical and SAR image relationships for tropical landscape features in the Amazônia, 3831

SHIMABUKURO, Y. E., *see* Almeida-Filho, R.

SHIMABUKURO, Y. E., *see* Ferreira, M. E.

SHIMIZU, Y., *see* Lu, S.

SHIRAIWA, T., *see* Inoue, Y.

SHOSHANY, M. and COHEN, Y.: Inference versus evidence in reasoning remote sensing recognition, with an information foraging perspective, 2613

SHOURAKI, S. B., *see* Shahraiyni, H. T.

SHRESTHA, D. P., *see* Omuto, C. T.

SI, B. C., *see* He, Y.

SIEGEL, H., *see* Ohde, T.

SILVA-GOMEZ, R., *see* Almeida-Filho, R.

SILVÁN-CÁRDENAS, J., *see* Wu, S.

SINAGA, A., *see* Wikantika, K.

SINGH, A. K., PARKASH, B. and CHOUDHURY, P. R.: Cover: 3D perspective view of the northwestern part of the Dehradun valley, India, 2401

SINGH, A. K., PARKASH, B. and CHOUDHURY, P. R.: Integrated use of SRM, Landsat ETM+ data and 3D perspective views to identify the tectonic geomorphology of Dehradun valley, India, 2403

SINGH, B., *see* Dutta, H. N.

SINGH, M. P., *see* Prusty, G.

SINGH, R. P., CERVONE, G., KAFATOS, M., PRASAD, A. K., SAHOO, A. K., SUN, D., TANG, D. L. and YANG, R.: Multi-sensor studies of the Sumatra earthquake and tsunami of 26 December 2004, 2885

SINGH, R. P., *see* Prasad, A. K.
SINGH, R. P.: Preface, 2883
SINHA, S. T., *see* Saraf, A. K.
SISWANTO, E., *see* Tan, C. K.
SKIDMORE, A. K., *see* Beck, P. S. A.
SKINNER, L., *see* Balzter, H.
SKIRVIN, S., *see* Rahman, M. M.
SKOLE, D. L., *see* Matricardi, E. A. T.
SKOLE, D. L., *see* Tottrup, C.
SMALL, C., *see* Elvidge, C. D.
SMITH, A. J. E.: A practical method for computing SAR satellite revisit times: application to RADARSAT-1 and ENVISAT, 1123
SMITH, A. M. S., DRAKE, N. A., WOOSTER, M. J., HUDAK, A. T., HOLDEN, Z. A. and GIBBONS, C. J.: Production of Landsat ETM+ reference imagery of burned areas within Southern African savannahs: comparison of methods and application to MODIS, 2753
SMITH, A. M. S., LENTILE, L. B., HUDAK, A. T. and MORGAN, P.: Evaluation of linear spectral unmixing and ΔNBR for predicting post-fire recovery in a North American ponderosa pine forest, 5159
SMITH, A. M. S., *see* Eitel, J. U. H.
SMITH, G. M., *see* Thomson, A. G.
SMITH, G. M., THOMSON, A. G., WILSON, A. K., HILL, R. A. and PURCELL, P. W.: Cover. Airborne remote sensing for monitoring the impact of coastal zone management, 1433
SMITS, A. J. M., *see* Geerling, G. W.
SOEGAARD, H., *see* Houborg, R.
SOILLE, P., *see* Maggi, M.
SOMMERS, W., *see* Xie, Y.
SOMVANSHI, V. S., *see* Choudhury, S. B.
SONG, C.: Estimating tree crown size with spatial information of high resolution optical remotely sensed imagery, 3305
SONG, G.-S.: Side-scan sonographs of steep slopes in the Wushieh Reservoir, 1857
SONG, P., *see* Liu, Z.
SONG, X. and ZHAO, Y.: Study on component temperatures inversion using satellite remotely sensed data, 2567
SØRENSEN, K., AAS, E. and HØKEDAL, J.: Validation of MERIS water products and bio-optical relationships in the Skagerrak, 555
SØRENSEN, K., GRUNG, M. and RÖTTGERS, R.: An intercomparison of *in vitro* chlorophyll *a* determinations for MERIS level 2 data validation, 537
SØRENSEN, M. K., *see* Olwig, M. F.
SPARROW, M., *see* Wang, K.
SRIDHAR, B. B. M., HAN, F. X., DIEHL, S. V., MONTS, D. L. and SU, Y.: Spectral reflectance and leaf internal structure changes of barley plants due to phytoextraction of zinc and cadmium, 1041
SRIDHAR, B. B. M., HAN, F. X., DIEHL, S. V., MONTS, D. L. and SU, Y.: Monitoring the effects of arsenic and chromium accumulation in Chinese brake fern (*Pteris vittata*), 1055
STAPLES, G. C., *see* Abbott, K. N.

STATHOPOULOU, M., CARTALIS, C. and PETRAKIS, M.: Integrating Corine Land Cover data and Landsat TM for surface emissivity definition: application to the urban area of Athens, Greece, 3291
STEINKE, E. T., *see* Sano, E. E.
STERK, G., *see* Vrieling, A.
STIBIG, H.-J., *see* Belward, A. S.
STOREY, J. C., *see* Maxwell, S. K.
STOW, D. and NIPHADKAR, M.: Stability, normalization and accuracy of MODIS-derived estimates of live fuel moisture for southern California chaparral, 5175
STOW, D., LOPEZ, A., LIPPITT, C., HINTON, S. and WEEKS, J.: Object-based classification of residential land use within Accra, Ghana based on QuickBird satellite data, 5167
STOW, D., PETERSEN, A., HOPE, A., ENGSTROM, R. and COULTER, L.: Greenness trends of Arctic tundra vegetation in the 1990s: comparison of two NDVI data sets from NOAA AVHRR systems, 4807
STRAATSMA, M. and MIDDELKOOP, H.: Extracting structural characteristics of herbaceous floodplain vegetation under leaf-off conditions using airborne laser scanner data, 2447
STUTH, J., *see* Alhamad, M. N.
SU, L., CHOPPING, M. J., RANGO, A., MARTONCHIK, J. V. and PETERS, D. P. C.: Differentiation of semi-arid vegetation types based on multi-angular observations from MISR and MODIS, 1419
SU, T. C., *see* Yang, M. D.
SU, Y., *see* Sridhar, B. B. M.
SUBRAMANIAN, B. R., *see* Chauhan, O. S.
SUGAHARA, K., *see* Shibayama, M.
SUI, D. Z., *see* Chen, Y.
SULLIVAN, J. and JELENAK, A.: Correcting geo-location interpolation errors in NESDIS-produced AVHRR 1b data near the Poles, 3721
SUMMERS, P. M., *see* Wynne, R. H.
SUN, D. and PINKER, R. T.: Retrieval of surface temperature from the MSG-SEVIRI observations: Part I. Methodology, 5255
SUN, D., *see* Singh, R. P.
SURYAVANSI, U. M., *see* Sasamal, S. K.
SUTTON, P., *see* Elvidge, C. D.
SWETNAM, R. D., *see* Thomson, A. G.

TAGUE, C., *see* Hope, A.
TAJRISHY, M., *see* Shahraiyni, H. T.
TALAULIKAR, M., *see* Chauhan, O. S.
TAN, C. K., ISHIZAKA, J., MANDA, A., SISWANTO, E. and TRIPATHY, S. C.: Assessing post-tsunami effects on ocean colour at eastern Indian Ocean using MODIS Aqua satellite, 3055
TAN, K., *see* Wang, X.
TAN, S.-Y.: The influence of temperature and precipitation climate regimes on vegetation dynamics in the US Great Plains: a satellite bioclimatology case study, 4947
TAN, W., *see* Yue, W.
TANG, D. L., *see* Singh, R. P.

TANG, J., WANG, L. and MYINT, S. W.: Improving urban classification through fuzzy supervised classification and spectral mixture analysis, 4047
TANG, J., WANG, L. and YAO, Z.: Spatio-temporal urban landscape change analysis using the Markov chain model and a modified genetic algorithm, 3255
TANG, Y. L., *see* Chen, L.
TAPIADOR, F. J.: A maximum entropy analysis of global monthly series of rainfall from merged satellite data, 1113
TARE, V., *see* Prasad, A. K.
TAVAKOLI, A., *see* Shahraiyni, H. T.
TAY, L. T., SAGAR, B. S. D. and CHUAH, H. T.: Granulometric analyses of basin-wise DEMs: a comparative study, 3363
TELESCA, L., LANORTE, A. and LASAPONARA, R.: Stability of surface reflectance scaling properties explored by using SPOT-VGT data, 5633
TEZA, G., GALGARO, A., ZALTRON, N. and GENEVOIS, R.: Terrestrial laser scanner to detect landslide displacement fields: a new approach, 3425
THAPLIYAL, P. K., *see* Gupta, A.
THIRIA, S., *see* Brajard, J.
THOMA, D. P., *see* Rahman, M. M.
THOMSON, A. G., MANCHESTER, S. J., SWETNAM, R. D., SMITH, G. M., WADSWORTH, R. A., PETIT, S. and GERARD, F. F.: The use of digital aerial photography and CORINE-derived methodology for monitoring recent and historic changes in land cover near UK Natura 2000 sites for the BIOPRESS project, 5397
THOMSON, A. G., *see* Smith, G. M.
THORHAUG, A., RICHARDSON, A. D. and BERLYN, G. P.: Spectral reflectance of the seagrasses: *Thalassia testudinum, Halodule wrigbtii, Syringodium filiforme* and five marine algae, 1487
TIAN, J. and CHEN, D.-M.: Optimization in multi-scale segmentation of high-resolution satellite images for artificial feature recognition, 4625
TIAN, Y. Q., *see* Xie, H.
TIAN, Y., *see* Shi, W.
TIWARI, R. S., *see* Goel, M. K.
TOOMEY, M., *see* Clawges, R.
TOTTRUP, C., RASMUSSEN, M. S., EKLUNDH, L. and JÖNSSON, P.: Mapping fractional forest cover across the highlands of mainland Southeast Asia using MODIS data and regression tree modelling, 23
TOTTRUP, C., RASMUSSEN, M. S., SAMEK, J. and SKOLE, D. L.: Towards a generic approach for characterizing and mapping tropical secondary forests in the highlands of mainland Southeast Asia, 1263
TOWNSHEND, J. R. G., *see* Neigh, C. S. R.
TRAVIS, D., *see* Zhang, C.
TRIPATHY, S. C., *see* Tan, C. K.
TSAGARIS, V., *see* Christoulas, G.
TSAI, F., LIN, E.-K. and YOSHINO, K.: Spectrally segmented principal component analysis of hyperspectral imagery for mapping invasive plant species, 1023
TSAY, H. L., *see* Lee, Y. J.
TUCKER, C. J., *see* Neigh, C. S. R.
TUNG, F., *see* Chen, Y.

TURIEL, A., ISERN-FONTANET, J., GARCIA-LADONA, E. and YOUNG, J. A.: Detection of wave fronts in the Indian Ocean from geostationary sunglint satellite imagery, 3953
TURRAL, H., *see* Canisius, F.

UNIYAL, S. K., *see* Kumar, A.
UVAROV, I. A., *see* Bartalev, S. A.

VALEO, C., *see* McAllister, D. M.
VALEO, C., *see* Quiñonez-Piñón, R.
VALOR, E., *see* Sánchez, J. M.
VAN AARDT, J. A. N. and WYNNE, R. H.: Examining pine spectral separability using hyperspectral data from an airborne sensor: An extension of field-based results, 431
VAN DER HEIJDEN, G. W. A. M., CLEVERS, J. G. P. W. and SCHUT, A. G. T.: Combining close-range and remote sensing for local assessment of biophysical characteristics of arable land, 5485
VAN DER MEER, F., *see* Farifteh, J.
VAN DER STRAETEN, D., *see* Chaerle, L.
VAN LEEUWEN, H. J. C., *see* Blaes, X.
VANACKER, V., *see* Lupo, F.
VANCUTSEM, C., PEKEL, J.-F., BOGAERT, P. and DEFOURNY, P.: Mean Compositing, an alternative strategy for producing temporal syntheses. Concepts and performance assessment for SPOT VEGETATION time series, 5123
VANNUCCI, M., *see* Alhamad, M. N.
VANROBAEYS, X., *see* Chaerle, L.
VAROTSOS, C. A., *see* Cracknell, A. P.
VARSHNEY, P. K., *see* Shah, C. A.
VATANDOUST, M., *see* Shahraiyni, H. T.
VAVRIV, D. M., *see* Bezvesilniy, O. O.
VENKATESWARLU, K., *see* Rao, N. R.
VEROUSTRAETE, F., *see* Ma, M.
VESCOVO, L., *see* Gianelle, D.
VESTERGAARD, K. B., *see* Olwig, M. F.
VIDOT, J., *see* Santer, R.
VIERLING, L., *see* Clawges, R.
VIJAYAN, M. S. M., *see* Jade, S.
VILTARD, N., *see* Lima, W. F. A.
VOIGT, S., *see* Kuenzer, C.
VOUNTAS, M., *see* Kokhanovsky, A. A.
VRIELING, A., RODRIGUES, S. C., BARTHOLOMEUS, H. and STERK, G.: Automatic identification of erosion gullies with ASTER imagery in the Brazilian Cerrados, 2723
VU, T. T., MATSUOKA, M. and YAMAZAKI, F.: Dual-scale approach for detection of tsunami-affected areas using optical satellite images, 2995

WADSWORTH, R. A., *see* Thomson, A. G.
WAGNER, W., *see* Kuenzer, C.

WAGTENDONK, A. J., *see* Eleveld, M. A.
WALKER, N. D., *see* Kiage, L. M.
WALZEL, T., *see* Krawczyk, H.
WAN, Z., *see* Wang, K.
WANG, C., *see* Chen, F.
WANG, C., *see* Hao, X.
WANG, C., *see* Ling, F.
WANG, F. M., *see* Chen, L.
WANG, J., *see* Chen, Y.
WANG, J., *see* Liu, Z.
WANG, K., WAN, Z., WANG, P., SPARROW, M., LIU, J. and HAGINOYA, S.: Evaluation and improvement of the MODIS land surface temperature/emissivity products using ground-based measurements at a semi-desert site on the western Tibetan Plateau, 2549
WANG, L., QU, J. J., ZHANG, S., HAO, X. and DASGUPTA, S.: Soil moisture estimation using MODIS and ground measurements in eastern China, 1413
WANG, L., *see* Tang, J.
WANG, L., *see* Wu, S.
WANG, M., *see* Luo, J.
WANG, P., *see* Wang, K.
WANG, Q., *see* Wu, C.
WANG, R. S., *see* Yang, J.
WANG, R., *see* Chen, J.
WANG, S., *see* Li, X.
WANG, T., *see* Yan, C. Z.
WANG, W., *see* Wu, C.
WANG, X., REN, Z. and TAN, K.: Eco-environmental evaluation with remote sensing in the middle and upper areas of the Yellow River drainage basin, 3937
WANG, X., *see* Ma, M.
WANG, Y. L., *see* Zhang, G. F.
WANG, Y., *see* Cai, G.
WANG, Y., *see* Peng, J.
WANG, Y., *see* Zhang, J.
WANG, Z., *see* Zhang, J.
WARNER, T. A., *see* Chen, X.
WARREN, A. J. and COLLINS, M. J.: A pixel-based semi-empirical system for predicting vegetation diversity in boreal forest, 83
WATANABE, N., *see* Ohta, K.
WEEKS, A., *see* Guo, D.
WEEKS, J., *see* Elvidge, C. D.
WEEKS, J., *see* Stow, D.
WEINACKER, H., *see* Balic, N.
WELLS, M. A. and CULLINANE, T.: Spectral discrimination of dolerite in crushed rock road aggregate, Perth, Western Australia, 5299
WEN, D., *see* Chen, Y.
WEN, Q., *see* Li, L.
WENDLING, P., *see* Meyer, R.
WENG, Q., *see* Li, G.
WENG, Q., *see* Lu, D.

WESTRA, T. and DE WULF, R. R.: Monitoring Sahelian floodplains using Fourier analysis of MODIS time-series data and artificial neural networks, 1595
WEYDAHL, D. J., SAGSTUEN, J., DICK, Ø. B. and RØNNING, H.: SRTM DEM accuracy assessment over vegetated areas in Norway, 3513
WIKANTIKA, K., SINAGA, A., HADI, F. and DARMAWAN, S.: Quick assessment on identification of damaged building and land-use changes in the post-tsunami disaster with a quick-look image of IKONOS and Quickbird (a case study in Meulaboh City, Aceh), 3037
WILSON, A. K., *see* Smith, G. M.
WINGUTH, A., *see* Santek, D. A.
WONG, M. S., *see* Nichol, J.
WOOSTER, M. J., *see* Smith, A. M. S.
WU, A. M., *see* Yang, M. D.
WU, A.-M., *see* Liu, C.-C.
WU, B., *see* Zhang, L.
WU, C., *see* Cai, G.
WU, C., WANG, Q., YANG, Z. and WANG, W.: Technical note: Monitoring heated water pollution of the DaYaWan nuclear power plant using TM images, 885
WU, J., *see* Buyantuyev, A.
WU, J., *see* Peng, J.
WU, S., SILVÁN-CÁRDENAS, J. and WANG, L.: Per-field urban land use classification based on tax parcel boundaries, 2777
WU, S.-X., *see* Yue, T.-X.
WU, W.: Coastline evolution monitoring and estimation—a case study in the region of Nouakchott, Mauritania, 5461
WULDER, M. A., *see* Coops, N. C.
WUNDERLE, A. L., FRANKLIN, S. E. and GUO, X. G.: Regenerating boreal forest structure estimation using SPOT-5 pan-sharpened imagery, 4351
WUNDERLE, S., *see* Foppa, N.
WYNNE, R. H., JOSEPH, K. A., BROWDER, J. O. and SUMMERS, P. M.: Comparing farmer-based and satellite-derived deforestation estimates in the Amazon basin using a hybrid classifier, 1299
WYNNE, R. H., *see* van Aardt, J. A. N.

XIAN, G.: Analysis of impacts of urban land use and land cover on air quality in the Las Vegas region using remote sensing information and ground observations, 5427
XIAO, X., *see* Li, P.
XIE, G., *see* Guo, G.
XIE, H., TIAN, Y. Q., GRANILLO, J. A. and KELLER, G. R.: Suitable remote sensing method and data for mapping and measuring active crop fields, 395
XIE, Y., QU, J. J., XIONG, X., HAO, X., CHE, N. and SOMMERS, W.: Smoke plume detection in the eastern United States using MODIS, 2367
XIONG, T., *see* Yang, J.
XIONG, X., *see* Xie, Y.
XIONG, Y., *see* Muramatsu, K.
XIU, P., LIU, Y. G. and YIN, X. B.: Preliminary study on distribution of deep chlorophyll maximum and remote sensing model in the Bohai Sea of China, 2599

XU, D., *see* Guo, G.
XU, J., *see* Yue, W.
XU, L., *see* Yue, W.
XU, Y., *see* Chen, X.
XUE, Y., *see* Cai, G.

YACKEL, J. J., *see* Galley, R. J.
YAMAUCHI, T., *see* Horie, T.
YAMAZAKI, F., *see* Vu, T. T.
YAN, C. Z., WANG, T., HAN, Z. W. and QIE, Y. F.: Surveying sandy deserts and desertified lands in north-western China by remote sensing, 3603
YANG, B., *see* Zuo, X.
YANG, J. and WANG, R. S.: Classified road detection from satellite images based on perceptual organization, 4653
YANG, J., XIONG, T. and PENG, Y.: A fuzzy approach to filtering interferometric SAR data, 1375
YANG, M. D., SU, T. C., HSU, C. H., CHANG, K. C. and WU, A. M.: Mapping of the 26 December 2004 tsunami disaster by using FORMOSAT-2 images, 3071
YANG, R., *see* Singh, R. P.
YANG, X., *see* Cao, G.
YANG, X.: Integrated use of remote sensing and geographic information systems in riparian vegetation delineation and mapping, 353
YANG, Z., *see* Wu, C.
YANO, T., *see* Liu, Y.
YAO, Z., *see* Tang, J.
YE, M., *see* Peng, J.
YEH, A. G.-O., *see* Li, X.
YIN, X. B., *see* Xiu, P.
YONEZAWA, C.: Maximum likelihood classification combined with spectral angle mapper algorithm for high resolution satellite imagery, 3729
YOOL, S. R., *see* Flores, E. S.
YOON, H. J., *see* Choi, H.
YOSHINO, K., *see* Tsai, F.
YOUNG, J. A. T., *see* Benfield, S. L.
YOUNG, J. A., *see* Turiel, A.
YOUNG, S. S., *see* Jeyaseelan, A. T.
YU, J., *see* Liu, H.
YUE, T.-X., MA, S.-N., WU, S.-X. and ZHAN, J.-Y.: Comparative analyses of the scaling diversity index and its applicability, 1611
YUE, W., XU, J., TAN, W. and XU, L.: The relationship between land surface temperature and NDVI with remote sensing: application to Shanghai Landsat 7 ETM+ data, 3205

ZABALLOS, A. G., *see* Rodríguez, P. G.
ZALTRON, N., *see* Teza, G.
ZENG, Z. Y.: A new method of data transformation for satellite images: I. Methodology and transformation equations for TM images, 4095

ZENG, Z. Y.: A new method of data transformation for satellite images: II. Transformation equations for SPOT, NOAA, IKONOS, Quick Bird, ASTER, MSS and other images and application, 4125
ZHAN, J.-Y., *see* Yue, T.-X.
ZHANG, C., LI, W. and TRAVIS, D.: Gaps-fill of SLC-off Landsat ETM+ satellite image using a geostatistical approach, 5103
ZHANG, G. F., SHEN, X. H., ZOU, L. J., LI, C. J., WANG, Y. L. and LU, S. L.: Detection of hydrocarbon bearing sand through remote sensing techniques in the western slope zone of Songliao basin, China, 1819
ZHANG, H., *see* Chen, F.
ZHANG, J., *see* Chang, Z.
ZHANG, J., *see* Kuenzer, C.
ZHANG, J., *see* Liu, Z.
ZHANG, J., WANG, Y. and WANG, Z.: Change analysis of land surface temperature based on robust statistics in the estuarine area of Pearl River (China) from 1990 to 2000 by Landsat TM/ETM+ data, 2383
ZHANG, L., FUJIWARA, N., FURUMI, S., MURAMATSU, K., DAIGO, M. and ZHANG, L.: Assessment of the universal pattern decomposition method using MODIS and ETM+ data, 125
ZHANG, L., FURUMI, S., MURAMATSU, K., FUJIWARA, N., DAIGO, M. and ZHANG, L.: A new vegetation index based on the universal pattern decomposition method, 107
ZHANG, L., *see* Zhang, L.
ZHANG, L., WU, B., HUANG, B. and LI, P.: Nonlinear estimation of subpixel proportion via kernel least square regression, 4157
ZHANG, L., ZHONG, Y., HUANG, B. and LI, P.: A resource limited artificial immune system algorithm for supervised classification of multi/hyper-spectral remote sensing imagery, 1665
ZHANG, Q. W., *see* Ling, F.
ZHANG, S., *see* Chen, Y.
ZHANG, S., *see* Wang, L.
ZHANG, Y., *see* Mayunga, S. D.
ZHANG, Y., *see* Peng, J.
ZHAO, W., *see* Chang, Z.
ZHAO, Y., *see* Chen, X.
ZHAO, Y., *see* Song, X.
ZHAO, Z., *see* Liu, H.
ZHONG, B., LIANG, S. and HOLBEN, B.: Validating a new algorithm for estimating aerosol optical depths over land from MODIS imagery, 4207
ZHONG, S., *see* Cai, G.
ZHONG, Y., *see* Zhang, L.
ZHU, G., *see* Blumberg, D. G.
ZIOU, D., *see* El-Zaart, A.
ZOU, L. J., *see* Zhang, G. F.
ZRIBI, M., SAUX-PICART, S., ANDRÉ, C., DESCROIX, L., OTTLÉ, C. and KALLEL, A.: Soil moisture mapping based on ASAR/ENVISAT radar data over a Sahelian region, 3547
ZULLO JR, J., *see* Demattê, J. A. M.

ZUO, X., LI, Q., YANG, B. and CHENG, T.: A view-dependent method for the multi-resolution representation of terrains with roads embedded, 319
ZURITA-MILLA, R., CLEVERS, J. G. P. W., SCHAEPMAN, M. E. and KNEUBUEHLER, M.: Effects of MERIS L1b radiometric calibration on regional land cover mapping and land products, 653
ZURITA-MILLA, R., *see* Clevers, J. G. P. W.

CONTENTS OF VOLUME 28

NUMBERS 1–2

Editorial
The Antarctic 2006 ozone hole
Arthur P. Cracknell and Costas A. Varotsos 1

Cover
High resolution Corona mosaic subset of the Okavango Delta's Thamalakane River: 25 September 1967
H. Hamandawana 3

Proposed methodology for georeferencing and mosaicking Corona photographs
H. Hamandawana, F. Eckardt and S. Ringrose 5

Mapping fractional forest cover across the highlands of mainland Southeast Asia using MODIS data and regression tree modelling
C. Tottrup, M. S. Rasmussen, L. Eklundh and P. Jönsson 23

An operational deforestation mapping system using MODIS data and spatial context analysis
N. C. Ferreira, L. G. Ferreira, A. R. Huete and M. E. Ferreira 47

Multi-temporal assessment of selective logging in the Brazilian Amazon using Landsat data
E. A. T. Matricardi, D. L. Skole, M. A. Cochrane, M. Pedlowski and W. Chomentowski 63

A pixel-based semi-empirical system for predicting vegetation diversity in boreal forest
A. J. Warren and M. J. Collins 83

A new vegetation index based on the universal pattern decomposition method
L. Zhang, S. Furumi, K. Muramatsu, N. Fujiwara, M. Daigo and L. Zhang 107

Assessment of the universal pattern decomposition method using MODIS and ETM+ data
L. Zhang, N. Fujiwara, S. Furumi, K. Muramatsu, M. Daigo and L. Zhang 125

Woody vegetation increase in Alpine areas: a proposal for a classification and validation scheme
M. Maggi, C. Estreguil and P. Soille 143

Using multi-directional high-resolution imagery from POLDER sensor to retrieve leaf area index
F. Gascon, J. P. Gastellu-Etchegorry and M. Leroy 167

Remote sensing as a tool for monitoring plasticulture in agricultural landscapes
N. Levin, R. Lugassi, U. Ramon, O. Braun and E. Ben-Dor 183

The first terrestrial laser scanner application over Vesuvius: High resolution model of a volcano crater
A. Pesci, F. Loddo and D. Conforti 203

Land cover in East Asia classified using Terra MODIS and DMSP OLS products
M. Matsuoka, T. Hayasaka, Y. Fukushima and Y. Honda 221

Measuring the quality of life in city of Indianapolis by integration of remote sensing and census data
G. Li and Q. Weng 249

Estimating vegetation cover in an urban environment based on Landsat ETM+ imagery: A case study in Phoenix, USA
A. Buyantuyev, J. Wu and C. Gries 269

A hybrid algorithm of the BP-ANN/GA for classification of urban terrain surfaces with fused data of Landsat ETM+ and ERS-2 SAR
G. Cao and Y. Q. Jin 293

Robust approach for suburban road segmentation in high-resolution aerial images
D. Guo, A. Weeks and H. Klee 307

A view-dependent method for the multi-resolution representation of terrains with roads embedded
X. Zuo, Q. Li, B. Yang and T. Cheng 319

Operation analysis of a reservoir in GIS environment using remote sensing inputs
M. K. Goel, P. Kumar, S. K. Jain and R. S. Tiwari 335

Integrated use of remote sensing and geographic information systems in riparian vegetation delineation and mapping
X. Yang 353

Regional crop monitoring and discrimination based on simulated ENVISAT ASAR wide swath mode images
X. Blaes, F. Holecz, H. J. C. Van Leeuwen and P. Defourny 371

Suitable remote sensing method and data for mapping and measuring active crop fields
H. Xie, Y. Q. Tian, J. A. Granillo, G. R. Keller 395

Spectral linear mixture modelling approaches for land cover mapping of tropical savanna areas in Brazil
M. E. Ferreira, L. G. Ferreira, E. E. Sano and Y. E. Shimabukuro 413

Remote Sensing Letters

Examining pine spectral separability using hyperspectral data from an airborne sensor: An extension of field-based results
J. A. N. van Aardt and R. H. Wynne 431

Himalayan glacier retreat using IRS 1C PAN stereo data
I. M. Bahuguna, A. V. Kulkarni, S. Nayak, B. P. Rathore, H. S. Negi and P. Mathur ... 437

Evaluation of radiometric resolution on land use/land cover mapping in an agricultural area
N. R. Rao, P. K. Garg and S. K. Ghosh 443

Largest crater shape in the Great Sahara revealed by multi-spectral images and radar data
F. El-Baz and E. Ghoneim 451

MISR multi-angular spectral remote sensing for temperate forest mapping at 1.1-km resolution
X. Liu and M. Kafatos 459

Filling voids of SRTM with Landsat sensor imagery in rugged terrain
F. Ling, Q. W. Zhang and C. Wang 465

NUMBERS 3–4
Special Issue: MERIS (MEdium Resolution Imaging Spectrometer)

Cover 475

Foreword 477

MERIS in-flight spectral calibration
S. Delwart, R. Preusker, L. Bourg, R. Santer, D. Ramon and J. Fischer 479

Validation of MERIS reflectance and chlorophyll during the BENCAL cruise October 2002: preliminary validation of new demonstration products for phytoplankton functional types and photosynthetic parameters
J. Aiken, J. R. Fishwick, S. Lavender, R. Barlow, G. F. Moore, H. Sessions, S. Bernard, J. Ras and N. J. Hardman-Mountford 497

The MERIS Case 2 water algorithm
R. Doerffer and H. Schiller 517

An intercomparison of *in vitro* chlorophyll *a* determinations for MERIS level 2 data validation
K. Sørensen, M. Grung and R. Röttgers 537

Validation of MERIS water products and bio-optical relationships in the Skagerrak
K. Sørensen, E. Aas and J. Høkedal 555

Inter-comparison of ocean colour data products during algal blooms in the Skagerrak
A. Folkestad, L. H. Pettersson and D. D. Durand 569

Regional products for the Baltic Sea using MERIS data
H. Krawczyk, A. Neumann, B. Gerasch and T. Walzel 593

Validation of MERIS Level-2 products in the Baltic Sea, the Namibian coastal area and the Atlantic Ocean
T. Ohde, H. Siegel and M. Gerth 609

Validation of chlorophyll fluorescence derived from MERIS on the west coast of Canada
J. Gower and S. King 625

Using MERIS on Envisat for land cover mapping in the Netherlands
J. G. P. W. Clevers, M. E. Schaepman, C. A. Mücher, A. J. W. de Wit, R. Zurita-Milla and H. M. Bartholomeus 637

Effects of MERIS L1b radiometric calibration on regional land cover mapping and land products
R. Zurita-Milla, J. G. P. W. Clevers, M. E. Schaepman and M. Kneubuehler 653

Textural characterization from various representations of MERIS data
G. Christoulas, V. Tsagaris and V. Anastassopoulos 675

AVHRR compatible vegetation index derived from MERIS data
K. P. Günther and S. W. Maier 693

A method for the atmospheric correction of ENVISAT/MERIS data over land targets
L. Guanter, M. Del Carmen González-Sanpedro and J. Moreno 709

Indian Ocean tsunami: The use of MERIS (MTCI) data to infer salt stress in coastal vegetation
P. J. Curran, J. Dash and G. M. Llewellyn 729

A surface reflectance model for aerosol remote sensing over land
R. Santer, D. Ramon, J. Vidot and E. Dilligeard 737

A method for aerosol correction from the spectral variation in the visible and near infrared: application to the MERIS sensor
D. Béal, F. Baret, C. Bacour and X-F. Gu 761

Estimating aerosol parameters above the ocean from MERIS observations using topological maps
J. Brajard, A. Niang, S. Sawadogo, F. Fell, R. Santer and S. Thiria 781

MERIS Full Resolution data for mapping level-of-damage caused by forest fires: the Valencia de Alcántara event in August 2003
F. González-Alonso, S. Merino-De-Miguel, A. Roldán-Zamarrón, S. García-Gigorro and J. M. Cuevas 797

NUMBERS 5–6

Technical Note and Cover: A new technique to remove false topographic perception phenomenon and its impacts in image interpretation
A. K. Saraf, S. T. Sinha, P. Ghosh and S. Choudhury 811

Review article: A survey of image classification methods and techniques for improving classification performance
D. Lu and Q. Weng 823

Spatio-temporal analysis of multi-date IRS imageries for turtle habitat dynamics characterization at Gahirmatha coast, India
G. Prusty, S. Dash and M. P. Singh 871

Technical note: Monitoring heated water pollution of the DaYaWan nuclear power plant using TM images
C. Wu, Q. Wang, Z. Yang and W. Wang 885

Island wake circulation off Maldives during boreal winter, as visualised with MODIS derived chlorophyll-*a* data and other satellite measurements
S. K. Sasamal 891

Impact of new mouth opening on morphology and water quality of the Chilika Lagoon – a study based on Resourcesat-1 LISS-III and AWiFS and IRS-1D LISS-III data
A. S. Rajawat, M. Gupta, B. C. Acharya and S. Nayak 905

Integrating onland lineaments with offshore data using a GIS approach - a case study from the Kutch Basin, India
H. D. Dave and D. S. Mitra 925

Determination of green herbage ratio in grasslands using spectral reflectance. Methods and ground measurements
D. Gianelle and L. Vescovo 931

Spectral reflectance at sub-leaf scale including the spatial distribution discriminating NPK stress characteristics in barley using multiway partial least squares regression
R. N. Jørgensen, L. K. Christensen and R. Bro 943

Comparison between several feature extraction/classification methods for mapping complicated agricultural land use patches using airborne hyperspectral data
S. Lu, K. Oki, Y. Shimizu and K. Omasa 963

Remote sensing of urban vegetation life form by spectral mixture analysis of high-resolution IKONOS satellite images
J. Nichol and M. S. Wong 985

Study on the seasonal changes of land cover and their impact on surface albedo in the northwestern part of Bangladesh using remote sensing
S. Rahman, H. Rahman and M. Keramat 1001

Spectrally segmented principal component analysis of hyperspectral imagery for mapping invasive plant species
F. Tsai, E.-K. Lin and K. Yoshino 1023

Spectral reflectance and leaf internal structure changes of barley plants due to phytoextraction of zinc and cadmium
B. B. Maruthi Sridhar, F. X. Han, S. V. Diehl, D. L. Monts and Y. Su 1041

Monitoring the effects of arsenic and chromium accumulation in Chinese brake fern (*Pteris vittata*)
B. B. Mruthi Sridhar, F. X. Han, S. V. Diehl, D. L. Monts and Y. Su 1055

Sensitivity of change vector analysis to land cover change in an arid ecosystem
E. Sánchez Flores and S. R. Yool 1069

Preliminary comparison of the ozone vertical profiles from Umkehr and ozonesonde measurements over Poland with EOS-MLS Aura spacecraft overpasses, 2004–2005
J. W. Krzyścin and B. Rajewska-Więch 1089

Small storm precipitation estimation using merged radar and gauging data
O. A. Kalinga and T. Y. Gan 1101

A maximum entropy analysis of global monthly series of rainfall from merged satellite data
F. J. Tapiador 1113

A practical method for computing SAR satellite revisit times: application to RADARSAT-1 and ENVISAT
A. J. E. Smith 1123

Land cover classification using multi-temporal MERIS vegetation indices
J. Dash, A. Mathur, G. M. Foody, P. J. Curran, J. W. Chipman and T. M. Lillesand . 1137

The integrated use of optical and InSAR data for urban land-cover mapping
D. Amarsaikhan, M. Ganzorig, P. Ache and H. Blotevogel 1161

Observations of forest stand top height and mean height from interferometric SAR and LiDAR over a conifer plantation at Thetford Forest, UK
H. Balzter, A. Luckman, L. Skinner, C. Rowland and T. Dawson 1173

Mapping damage during the Bam (Iran) earthquake using interferometric coherence
J. Hoffmann 1199

Calibrating and mosaicking surface velocity measurements from interferometric SAR data with a simultaneous least-squares adjustment approach
H. Liu, J. Yu, Z. Zhao and K. C. Jezek 1217

Evaluation of the *B*-method for determining actual evapotranspiration in a boreal forest from MODIS data
J. M. Sánchez, V. Caselles, R. Niclós, E. Valor, C. Coll and T. Laurila 1231

Tree species mapping with Airborne hyper-spectral MIVIS data: the Ticino Park study case
M. Boschetti, L. Boschetti, S. Oliveri, L. Casati and I. Canova 1251

Towards a generic approach for characterizing and mapping tropical secondary forests in the highlands of mainland Southeast Asia
C. Tottrup, M. S. Rasmussen, J. Samek and D. L. Skole 1263

Interannual variations in vegetation activities and climate variability caused by ENSO in tropical rainforests
S. Nagai, K. Ichii and H. Morimoto 1285

Comparing farmer-based and satellite-derived deforestation estimates in the Amazon basin using a hybrid classifier
R. H. Wynne, K. A. Joseph, J. O. Browder and P. M. Summers 1299

Fire danger monitoring using RADARSAT-1 over northern boreal forests
K. N. Abbott, B. Leblon, G. C. Staples, D. A. MacLean and M. E. Alexander 1317

Characterizing post-fire vegetation recovery of California chaparral using TM/ETM+ time-series data
A. Hope, C. Tague and R. Clark 1339

An integrated method for satellite image interpolation
W. Shi, Y. Tian and K. Liu 1355

Book Review

Satellite Monitoring of Inland and Coastal Water Quality. Retrospection, Introspection, Future Directions
S. Dury 1373

Remote Sensing Letters

A fuzzy approach to filtering interferometric SAR data
J. Yang, T. Xiong and Y. Peng 1375

Detecting deforestation with multitemporal L-band SAR imagery: a case study in western Brazilian Amazônia
R. Almeida-Filho, A. Rosenqvist, Y. E. Shimabukuro and R. Silva-Gomez 1383

Longitudinal position of the quasi-stationary wave extremes over the Antarctic region from the TOMS total ozone
A. Grytsai, A. Evtushevsky, G. Milinevsky and A. Agapitov 1391

Multi-year circumpolar assessment of the area burnt in boreal ecosystems using SPOT-VEGETATION
S. A. Bartalev, V. A. Egorov, E. A. Loupian and I. A. Uvarov 1397

MERIS-FR potential for land use–land cover mapping in Spain
S. García-Gigorro, F. González-Alonso, S. Merino-De-Miguel, A. Roldán-Zamarrón and J. M. Cuevas 1405

Soil moisture estimation using MODIS and ground measurements in eastern China
L. Wang, J. J. Qu, S. Zhang, X. Hao and S. Dasgupta 1413

Differentiation of semi-arid vegetation types based on multi-angular observations from MISR and MODIS
L. Su, M. J. Chopping, A. Rango, J. V. Martonchik and D. P. C. Peters 1419

Identification of dry and wet soil conditions using TRMM/TMI brightness temperatures and potential for drought monitoring
A. Gupta, P. K. Thapliyal and P. K. Pal 1425

NUMBERS 7–8

Cover. Airborne remote sensing for monitoring the impact of coastal zone management
G. M. Smith, A. G. Thomson, A. K. Wilson, R. A. Hill and P. W. Purcell 1433

A new algorithm for estimating chlorophyll-*a* concentration from multi-spectral satellite data in case II waters: a simulation based on a controlled laboratory experiment
Y. Oyama, B. Matsushita, T. Fukushima, T. Nagai and A. Imai 1437

Depth-variant spectral characteristics of submersed aquatic vegetation detected by Landsat 7 ETM+
H. J. Cho 1455

Atmospheric correction algorithm for MERIS above case-2 waters
Th. Schroeder, I. Behnert, M. Schaale, J. Fischer and R. Doerffer 1469

Spectral reflectance of the seagrasses: *Thalassia testudinum, Halodule wrightii, Syringodium filiforme* and five marine algae
A. Thorhaug, A. D. Richardson and G. P. Berlyn 1487

Validation of satellite rainfall products over East Africa's complex topography
T. Dinku, P. Ceccato, E. Grover-Kopec, M. Lemma, S. J. Connor and C. F. Ropelewski 1503

Detecting grassland spatial variation by a wavelet approach
Y. He, X. Guo and B. C. Si 1527

Nadir and off-nadir hyperspectral field data: strengths and limitations in estimating grassland biophysical characteristics
D. Gianelle and F. Guastella 1547

Yield prediction and waterlogging assessment for tea plantation land using satellite image-based techniques
N. R. Rao, M. Kapoor, N. Sharma and K. Venkateswarlu 1561

Spectral analysis and classification accuracy of coffee crops using Landsat and a topographic-environmental model
S. Cordero-Sancho and S. A. Sader 1577

Monitoring Sahelian floodplains using Fourier analysis of MODIS time-series data and artificial neural networks
T. Westra and R. R. De Wulf 1595

Comparative analyses of the scaling diversity index and its applicability
T.-X. Yue, S.-N. Ma, S.-X. Wu and J.-Y. Zhan 1611

Mapping land cover from detailed aerial photography data using textural and neural network analysis
R. Cots-Folch, M. J. Aitkenhead and J. A. Martínez-Casasnovas 1625

Design of an environmental monitoring program using NDVI and cumulative effects assessment
R. Quiñonez-Piñón, A. Mendoza-Durán and C. Valeo 1643

A resource limited artificial immune system algorithm for supervised classification of multi/hyper-spectral remote sensing imagery
L. Zhang, Y. Zhong, B. Huang and P. Li 1665

Boosting: a classification method for remote sensing
J. S. Bailly, M. Arnaud and C. Puech 1687

ICA mixture model algorithm for unsupervised classification of remote sensing imagery
C. A. Shah, P. K. Varshney and M. K. Arora 1711

Mapping a specific class with an ensemble of classifiers
G. M. Foody, D. S. Boyd and C. Sanchez-Hernandez 1733

Man-made object detection in aerial images using multi-stage level set evolution
G. Cao and X. Yang 1747

Radar topography data reveal drainage relics in the eastern Sahara
E. Ghoneim, C. Robinson and F. El-Baz 1759

Utilization of multi-dates LANDSAT_TM data to detect and quantify the environmental damages in the southeastern region of Kuwait from 1990 to 1991
H. I. El-Gamily 1773

Change detection technique based on the radiometric rotation controlled by no-change axis, applied on a semi-arid landscape
F. D. Maldonado, J. R. Santos and P. M. L Graça 1789

Principal components analysis for borate mapping
H. Kargi 1805

Detection of hydrocarbon bearing sand through remote sensing techniques in the western slope zone of Songliao basin, China
G. F. Zhang, X. H. Shen, L. J. Zou, C. J. Li, Y. L. Wang and S. L. Lu 1819

Technical Note: Satellite data in a rapid analysis of Kashmir earthquake (October 2005) triggered landslide pattern and river water turbidity in and around the epicentral region
J. D. Das, A. K. Saraf and S. Panda 1835

Comparison between automated and manual mapping of typhoon-triggered landslides from SPOT-5 imagery
A. M. Borghuis, K. Chang and H. Y. Lee 1843

Side-scan sonographs of steep slopes in the Wushieh Reservoir
G.-S. Song 1857

Analysis of adjacency effects for two Lambertian half-spaces
A. Sei 1873

A robust new method for the remote estimation of LAI in montane and boreal forests
D. M. McAllister and C. Valeo 1891

Comment on the article on 'Within-field wheat yield prediction from IKONOS data, a new matrix approach' by E. A. Enclona, P. S. Thenkabail, D. Celis and J. Diekmann, *International Journal of Remote Sensing*, 25, 377–388 (2004)
H. P. Piepho 1907

Response from P. S. Thenkabail 1911

NUMBER 9

Special Issue: CLOUDMAP: New satellite cloud products for cirrus and contrails for NWP and climate analysis

Cover. New satellite cloud products for cirrus and contrails (CLOUDMAP): example of multi-layer cloud detection using multi-spectral stereo
J.-P. Muller 1913

The EU-CLOUDMAP project: Cirrus and contrail cloud-top maps from satellites for weather forecasting climate change analysis
J.-P. Muller and J. Fischer 1915

Stereo cloud-top heights and cloud fraction retrieval from ATSR-2
J.-P. Muller, M.-A. Denis, R. D. Dundas, K. L. Mitchell, C. Naud and H. Mannstein 1921

ATSR-2 camera models for the automated stereo photogrammetric retrieval of cloud-top heights—initial assessments
M.-A. Denis, J.-P. Muller and H. Mannstein 1939

Cloud-top pressure retrieval using the oxygen A-band in the IRS-3 MOS instrument
R. Preusker, J. Fischer, P. Albert, R. Bennartz and L. Schüller 1957

Comparison between ATSR-2 stereo, MOS O_2-A band and ground-based cloud top heights
C. Naud, K. L. Mitchell, J.-P. Muller, E. E. Clothiaux, P. Albert, R. Preusker, J. Fischer and R. J. Hogan 1969

Analysis of high resolution MOMS cloud scenes for CLOUDMAP validation
A. Drescher 1989

Cloud mapping with ground-based photogrammetric cameras
G. Seiz, J. Shields, U. Feister, E. P. Baltsavias and A. Gruen 2001

Automated contrail and cirrus detection using stochastic properties
H. Hetzheim 2033

Contrail observations over Southern and Eastern Asia in NOAA/AVHRR data and comparisons to contrail simulations in a GCM
R. Meyer, R. Buell, C. Leiter, H. Mannstein, S. Pechtl, T. Oki and P. Wendling 2049

NUMBER 10

Editioral and cover: Fifty years after the first artificial satellite: from Sputnik 1 to ENVISAT
A. P. Cracknell and C. A. Varotsos 2071

Technical note: Validation of ENVISAT (SCIAMACHY) versus Dobson and TOMS atmospheric ozone measurements in Athens, Greece: Input for the upcoming IPY campaign
C. A. Varotsos and A. P. Cracknell 2073

Detailed mapping of a salt farm from Landsat TM imagery using neural network and maximum likelihood classifiers: a comparison
Y. Zhang, J. Gao and J. Wang 2077

Evapotranspiration using MODIS data and limited ground observations over selected agroecosystems in India
K. Mallick, B. K. Bhattacharya, S. Chaurasia, S. Dutta, R. Nigam, J. Mukherjee, S. Banerjee, G. Kar, V. U. M. Rao, A. S. Gadgil and J. S. Parihar 2091

Detecting mountain pine beetle red attack damage with EO-1 Hyperion moisture indices
J. C. White, N. C. Coops, T. Hilker, M. A. Wulder and A. L. Carroll 2111

Active forest fire monitoring in Uttaranchal State, India using multi-temporal DMSP-OLS and MODIS data
T. R. Kiran Chand, K. V. S. Badarinath, M. S. R. Murthy, G. Rajshekhar, C. D. Elvidge and B. T. Tuttle 2123

Remote monitoring of spatial and temporal surface soil moisture in fire disturbed boreal forest ecosystems with ERS SAR imagery
L. L. Bourgeau-Chavez, E. S. Kasischke, K. Riordan, S. Brunzell, M. Nolan, E. Hyer, J. Slawski, M. Medvecz, T. Walters and S. Ames 2133

Estimating ice breakup dates on Eurasian lakes using water temperature trends and threshold surface temperatures derived from MODIS data
T. Nonaka, T. Matsunaga and A. Hoyano 2163

Technical note: Quantitative monitoring of a Saharan dust event with SEVIRI on Meteosat-8
J. Li, P. Zhang, T. J. Schmit, J. Schmetz and W. P. Menzel 2181

Haze removal for high-resolution satellite data: a case study
G. Dal Moro and L. Halounova 2187

Simulation of vertical wind profile under neutral conditions
T. X. Yue, W. Wang, Q. Yu, Z. L. Zhu, S. H. Zhang, R. H. Zhang and Z. P. Du ... 2207

Satellite-derived cloud top pressure product validation using aircraft-based cloud physics lidar data from the ATReC field campaign
S. T. Bedka, W. F. Feltz, A. J. Schreiner and R. E. Holz 2221

An experimental approach to the measurement of the effects of water depth and substrate on optical and near infra-red reflectance: a field-based assessment of the feasibility of mapping submerged instream habitat
D. Gilvear, P. Hunter and T. Higgins 2241

Application of binary logistic regression analysis and its validation for landslide susceptibility mapping in part of Garhwal Himalaya, India
J. Mathew, V. K. Jha and G. S. Rawat 2257

Statistical modelling of multimodal SAR images
A. El-Zaart and D. Ziou 2277

Integration of panchromatic and SAR features into multispectral SPOT images using the 'à trous' wavelet decomposition
Y. Chibani 2295

A comparison study on fusion methods using evaluation indicators
V. Karathanassi, P. Kolokousis and S. Ioannidou 2309

A semi-automated approach for extracting buildings from QuickBird imagery applied to informal settlement mapping
S. D. Mayunga, D. J. Coleman and Y. Zhang 2343

Remote Sensing Letters

Fractal analysis of the structure and dynamics of a satellite-detected urban heat island
Y. Chen, D. Z. Sui, T. Fung and W. Dou 2359

Smoke plume detection in the eastern United States using MODIS
Y. Xie, J. J. Qu, X. Xiong, X. Hao, N. Che and W. Sommers 2367

Comparison of wind data from QuikSCAT and buoys in the Indian Ocean
K. Satheesan, A. Sarkar, A. Parekh, M. R. Ramesh Kumar and Y. Kuroda 2375

Change analysis of land surface temperature based on robust statistics in the estuarine area of Pearl River (China) from 1990 to 2000 by Landsat TM/ETM+ data
J. Zhang, Y. Wang and Z. Wang 2383

Estimating afternoon MODIS land surface temperatures (LST) based on morning MODIS overpass, location and elevation information
N. C. Coops, D. C. Duro, M. A. Wulder and T. Han 2391

Corrigendum 2397

NUMBERS 11–12

Editorial
A. P. Cracknell 2399

Cover: 3D perspective view of the northwestern part of the Dehradun valley, India
A. K. Singh, B. Parkash and P. R. Choudhury 2401

Integrated use of SRM, Landsat ETM+ data and 3D perspective views to identify the tectonic geomorphology of Dehradun valley, India
A. K. Singh, B. Parkash and P. R. Choudhury 2403

Integrating visible, near-infrared and short wave infrared hyperspectral and multispectral thermal imagery for geologic mapping: simulated data
X. Chen, T. A. Warner and D. J. Campagna 2415

Coseismic lateral offsets of surface rupture zone produced by the 2001 M_w 7.8 Kunlun earthquake, Tibet from the IKONOS and QuickBird imagery
A. Lin and M. Nishikawa 2431

Extracting structural characteristics of herbaceous floodplain vegetation under leaf-off conditions using airborne laser scanner data
M. Straatsma and H. Middelkoop 2447

Categorization of land-cover change processes based on phenological indicators extracted from time series of vegetation index data
F. Lupo, M. Linderman, V. Vanacker, E. Bartholomé and E. F. Lambin 2469

Stratification of forest density and its validation by NDVI analysis in a part of western Himalaya, India using Remote sensing and GIS techniques
A. Kumar, S. K. Uniyal and B. Lal 2485

Usefulness of remote sensing for the assessment of growth traits in individual cereal plants grown in the field
F. Alvaro, L. F. García del Moral and C. Royo 2497

Biophysical modelling and NDVI time series to project near-term forage supply: spectral analysis aided by wavelet denoising and ARIMA modelling
M. N. Alhamad, J. Stuth and M. Vannucci 2513

Evaluation and improvement of the MODIS land surface temperature/emissivity products using ground-based measurements at a semi-desert site on the western Tibetan Plateau
K. Wang, Z. Wan, P. Wang, M. Sparrow, J. Liu and S. Haginoya 2549

Study on component temperatures inversion using satellite remotely sensed data
X. Song and Y. Zhao 2567

Synchronous NDVI and surface air temperature trends in Newfoundland: 1982 to 2003
C. S. R. Neigh, C. J. Tucker and J. R. G. Townshend 2581

Preliminary study on distribution of deep chlorophyll maximum and remote sensing model in the Bohai Sea of China
P. Xiu, Y. G. Liu and X. B. Yin 2599

Inference versus evidence in reasoning remote sensing recognition, with an information foraging perspective
M. Shoshany and Y. Cohen 2613

Technical Note: Distance decay in spectral space in analysing ecosystem β-diversity
D. Rocchini 2635

The Nightsat mission concept
C. D. Elvidge, P. Cinzano, D. R. Pettit, J. Arvesen, P. Sutton, C. Small, R. Nemani, T. Longcore, C. Rich, J. Safran, J. Weeks and S. Ebener 2645

Relation between meteorological conditions and the catching of red tuna (*Thunnus thynnus*) from the measurements of the TOVS and AVHRR sensors of the NOAA satellites
A. Romo, C. Casanova, J. Sana, A. Calle and J. L. Casanova 2671

Validation of integrated potential fishing zone (IPFZ) forecast using satellite based chlorophyll and sea surface temperature along the east coast of India
S. B. Choudhury, B. Jena, M. V. Rao, K. H. Rao, V. S. Somvanshi, D. K. Gulati and S. K. Sahu 2683

Urban radiation balance of two coastal cities in a hot and dry environment
C. M. Frey, G. Rigo and E. Parlow 2695

Mapping of salt-affected soils using TM images
P. García Rodríguez, M. E. Pérez González and A. Guerra Zaballos 2713

Automatic identification of erosion gullies with ASTER imagery in the Brazilian Cerrados
A. Vrieling, S. C. Rodrigues, H. Bartholomeus and G. Sterk 2723

Spatial and temporal probabilities of obtaining cloud-free Landsat images over the Brazilian tropical savanna
E. E. Sano, L. G. Ferreira, G. P. Asner and E. T. Steinke 2739

Production of Landsat ETM+ reference imagery of burned areas within Southern African savannahs: comparison of methods and application to MODIS
A. M. S. Smith, N. A. Drake, M. J. Wooster, A. T. Hudak, Z. A. Holden and C. J. Gibbons 2753

Per-field urban land use classification based on tax parcel boundaries
S. Wu, J. Silván-Cárdenas and L. Wang 2777

Stabilizing high-order, non-classical harmonic analysis of NDVI data for average annual models by damping model roughness
J. F. Hermance 2801

A pairwise decision tree framework for hyperspectral classification
J. Chen and R. Wang 2821

Wavelet decomposition of hyperspectral data: a novel approach to quantifying pigment concentrations in vegetation
G. A. Blackburn 2831

Modelling geometric and misregistration error in airborne sensor data to enhance change detection
K. M. Brown, G. M. Foody and P. M. Atkinson 2857

NUMBERS 13–14
Special Issue: Satellite Observations Related to Sumatra Tsunami and Earthquake of 26 December 2004

Cover 2881

Preface
R. P. Singh 2883

Multi-sensor studies of the Sumatra earthquake and tsunami of 26 December 2004
R. P. Singh, G. Cervone, M. Kafatos, A. K. Prasad, A. K. Sahoo, D. Sun, D. L. Tang and R. Yang 2885

The 26 December 2004 tsunami measured by satellite altimetry
J. Gower 2897

Generation and study of high-resolution satellite gravity over the Sumatran earthquake region
S. Chatterjee, R. Bhattacharyya and T. J. Majumdar 2915

A satellite view of internal waves induced by the Indian Ocean tsunami
D. A. Santek and A. Winguth 2927

Tsunami damage assessment: a case study in Car Nicobar Island, India
A. Kumar, R. K. Chingkhei and Th. Dolendro 2937

Inundation distances and run-up measurements from ASTER, QuickBird and SRTM data, Aceh coast, Indonesia
B. G. McAdoo, N. Richardson and J. Borrero 2961

Mapping severe damage to land cover following the 2004 Indian Ocean tsunami using moderate spatial resolution satellite imagery
A. S. Belward, H.-J. Stibig, H. Eva, F. Rembold, T. Bucha, A. Hartley, R. Beuchle, D. Khudhairy, M. Michielon and D. Mollicone 2977

Dual-scale approach for detection of tsunami-affected areas using optical satellite images
T. T. Vu, M. Matsuoka and F. Yamazaki 2995

Rapid damage assessment of built-up structures using VHR satellite data in tsunami-affected areas
M. Pesaresi, A. Gerhardinger and F. Haag 3013

Quick assessment on identification of damaged building and land-use changes in the post-tsunami disaster with a quick-look image of IKONOS and Quickbird (a case study in Meulaboh City, Aceh)
K. Wikantika, A. Sinaga, F. Hadi and S. Darmawan 3037

Effect of the *M* 9.3 Sumatra–Andaman islands earthquake of 26 December 2004 at several permanent and campaign GPS stations in the Indian continent
S. Jade, M. S. M. Vijayan, S. S. Gupta, P. D. Kumar, V. K. Gaur and S. Arumugam 3045

Assessing post-tsunami effects on ocean colour at eastern Indian Ocean using MODIS Aqua satellite
C. K. Tan, J. Ishizaka, A. Manda, E. Siswanto and S. C. Tripathy 3055

Mapping of the 26 December 2004 tsunami disaster by using FORMOSAT-2 images
M. D. Yang, T. C. Su, C. H. Hsu, K. C. Chang and A. M. Wu 3071

Image processing of FORMOSAT-2 data for monitoring the South Asia tsunami
C.-C. Liu, J.-G. Liu, C.-W. Lin, A.-M. Wu, S.-H. Liu and C.-L. Shieh 3093

A study of air–sea interaction following the tsunami of 26 December 2004 in the eastern Indian Ocean
V. K. Agarwal, A. Mathur, R. Sharma, N. Agarwal and A. Parekh 3113

The observation of ultra-low frequency emissions at Nakatsugawa, Japan, in possible association with the Sumatra, Indonesia, earthquake
K. Ohta, N. Watanabe and M. Hayakawa 3121

A possible effect of ionospheric perturbations associated with the Sumatra earthquake, as revealed from subionospheric very-low-frequency (VLF) propagation (NWC-Japan)
T. Horie, S. Maekawa, T. Yamauchi and M. Hayakawa 3133

Ionospheric perturbations over Delhi caused by the 26 December 2004 Sumatra earthquake
H. N. Dutta, R. S. Dabas, R. M. Das, K. Sharma and B. Singh 3141

Using remote sensing to assess the protective role of coastal woody vegetation against tsunami waves
M. F. Olwig, M. K. Sørensen, M. S. Rasmussen, F. Danielsen, V. Selvam, L. B. Hansen, L. Nyborg, K. B. Vestergaard, F. Parish and V. M. Karunagaran 3153

NUMBERS 15–16

Cover: Detection of coal fire
Y. Chen, L. Jing, Y. Bo, P. Shi and S. Zhang 3171

Technical Note: Detection of coal fire location and change based on multi-temporal thermal remotely sensed data and field measurements
Y. Chen, L. Jing, Y. Bo, P. Shi and S. Zhang 3173

An evaluation of airborne laser scan data for coalmine subsidence mapping
D. R. Palamara, M. Nicholson, P. Flentje, E. Baafi and G. M. Brassington 3181

The relationship between land surface temperature and NDVI with remote sensing: application to Shanghai Landsat 7 ETM+ data
W. Yue, J. Xu, W. Tan and L. Xu 3205

Technical Note: Use of IKONOS satellite data to identify informal settlements in Dehradun, India
S. Jain 3227

Spectral properties and reflectance curves of the revealed volcanic rocks in Syria using radiometric measurements
M. Rukieh, A. M. Al-Kafri and A. W. Khalaf 3235

Technical Note: Shadow information recovery in urban areas from very high resolution satellite imagery
Y. Chen, D. Wen, L. Jing and P. Shi 3249

Spatio-temporal urban landscape change analysis using the Markov chain model and a modified genetic algorithm
J. Tang, L. Wang and Z. Yao 3255

Using a hierarchical multi-resolution mechanism for the classification and semantic extraction of landuse maps for Beer-Sheva, Israel
D. G. Blumberg and G. Zhu 3273

Integrating Corine Land Cover data and Landsat TM for surface emissivity definition: application to the urban area of Athens, Greece
M. Stathopoulou, C. Cartalis and M. Petrakis 3291

Estimating tree crown size with spatial information of high resolution optical remotely sensed imagery
C. Song 3305

Influence of the macrotidal environment on the source to sink pathways of suspended flux in the Gulf of Kachchh, India: evidence from the Ocean Colour Monitor (IRS-P4)
O. S. Chauhan, A. A. A. Menezes, S. Jayakumar, M. A. Malik, Y. Pradhan, A. S. Rajawat, S. R. Nayak, G. Bandekar, C. Almeida, M. Talaulikar, M. V. Ramanamurty and B. R. Subramanian 3323

Generating soil electrical conductivity maps at regional level by integrating measurements on the ground and remote sensing data
P. Brunner, H. T. Li, W. Kinzelbach and W. P. Li 3341

Granulometric analyses of basin-wise DEMs: a comparative study
L. T. Tay, B. S. Daya Sagar and H. T. Chuah 3363

Morphological segmentation of physiographic features from DEM
D. Sathymoorthy, R. Palanikumar and B. S. D. Sagar 3379

Multi-scale information extraction from high resolution remote sensing imagery and region partition methods based on GMRF–SVM
J. Luo, D. Ming, Z. Shen, M. Wang and H. Sheng 3395

Examination of image fusion using synthetic variable ratio (SVR) technique
M. M. Rahman and E. Csaplovics 3413

Terrestrial laser scanner to detect landslide displacement fields: a new approach
G. Teza, A. Galgaro, N. Zaltron and R. Genevois 3425

Evaluation of Ku-band QuikSCAT scatterometer data for rice crop growth stage assessment
S. R. Oza and J. S. Parihar 3447

Comparison between back propagation neural network and regression models for the estimation of pigment content in rice leaves and panicles using hyperspectral data
L. Chen, J. F. Huang, F. M. Wang and Y. L. Tang 3457

Early detection of nutrient and biotic stress in *Phaseolus vulgaris*
L. Chaerle, D. Hagenbeek, X. Vanrobaeys and D. Van Der Straeten 3479

A new vegetation index derived from the pattern decomposition method applied to Landsat-7/ETM+ images in Mongolia
K. Muramatsu, Y. Xiong, S. Nakayama, F. Ochiai, M. Daigo, M. Hirata, K. Oishi, B. Bolortsetseg, D. Oyunbaatar and I. Kaihotsu 3493

SRTM DEM accuracy assessment over vegetated areas in Norway
D. J. Weydahl, J. Sagstuen, Ø. B. Dick and H. Rønning 3513

Rainfall sensitivity analyses for the HSB sounder: an Amazon case study
W. F. A. Lima, L. A. T. Machado, C. A. Morales and N. Viltard 3529

Soil moisture mapping based on ASAR/ENVISAT radar data over a Sahelian region
M. Zribi, S. Saux-Picart, C. André, L. Descroix, C. Ottlé and A. Kallel 3547

Soil moisture retrieval from MODIS data in Northern China Plain using thermal inertia model
G. Cai, Y. Xue, Y. Hu, Y. Wang, J. Guo, Y. Luo, C. Wu, S. Zhong and S. Qi 3567

Analysis of the relationship between spatial pattern and spectral detectability of areas burned in southern Africa using satellite data
A. C. L. Sá, J. M. C. Pereira and R. H. Gardner 3583

Surveying sandy deserts and desertified lands in north-western China by remote sensing
C. Z. Yan, T. Wang, Z. W. Han and Y. F. Qie 3603

Technical Note: Remote sensing in the mapping of the Brahmaputra/Jamuna River channel patterns and its relation to various landforms and tectonic environment
J. D. Das and A. K. Saraf 3619

Extraction of bridges over water from IKONOS panchromatic data
J. Luo, D. Ming, W. Liu, Z. Shen, M. Wang and H. Sheng 3633

Technical Note: Mapping and forecasting of North Indian winter fog: an application of spatial technologies
S. Choudhury, H. Rajpal, A. K. Saraf and S. Panda 3649

Automatic matching of high-resolution SAR images
F. Chen, C. Wang and H. Zhang 3665

Generation of mosaiced digital true orthophotographs from multispectral and lidar data
N. Balic, H. Weinacker and B. Koch 3679

Book reviews 3689

Remote Sensing Letters

WATeRS: an open Web Map Service with near-real time MODIS Level-2 standard chlorophyll products of the North Sea
M. A. Eleveld, A. J. Wagtendonk, R. Pasterkamp and N. O. De Reus 3693

Dependence of frequency of convective cloud occurrence on the orbital drift of satellites
A. Devasthale and H. Grassl 3701

Retrieving the median droplet diameter from K_a- and W-band dual-wavelength Doppler radar measurements
O. O. Bezvesilniy and D. M. Vavriv 3707

Towards an early-warning system for global landslides triggered by rainfall and earthquake
Y. Hong and R. F. Adler 3713

Correcting geo-location interpolation errors in NESDIS-produced AVHRR 1b data near the Poles
J. Sullivan and A. Jelenak 3721

Maximum likelihood classification combined with spectral angle mapper algorithm for high resolution satellite imagery
C. Yonezawa 3729

Detecting an invasive shrub in a deciduous forest understory using late-fall Landsat sensor imagery
J. Resasco, A. N. Hale, M. C. Henry and D. L. Gorchov 3739

Water turbidity estimation using a hand-held spectropolarimeter to determine surface reflection polarization in visible, near and short-wave infrared bands
M. Shibayama, K. Kanda and K. Sugahara 3747

NUMBERS 17–18

Cover: Global composites of the MERIS Terrestrial Chlorophyll Index
P. J. Curran, J. Dash, T. Lankester and S. Hubbard 3757

Predicting aphid (*Lipaphis erysimi*) growth in oilseed *Brassica* using near surface meteorological data from NOAA TOVS—a case study
B. K. Bhattacharya, S. Dutta, V. K. Dadhwal, J. S. Parihar, C. Chattopadhyay, R. Agrawal, V. Kumar, S. A. Khan, S. Roy and C. Shekhar 3759

Operational maize yield model development and validation based on remote sensing and agro-meteorological data in Kenya
O. Rojas 3775

Use of remote sensing data for estimation of winter wheat yield in the United States
L. Salazar, F. Kogan and L. Roytman 3795

Quantification of tropical soil attributes from ETM+/LANDSAT-7 data
J. A. M. Demattê, M. V. Galdos, R. V. Guimarães, A. M. Genú, M. R. Nanni and J. Zullo Jr 3813

Quantifying optical and SAR image relationships for tropical landscape features in the Amazônia
Y. E. Shimabukuro, R. Almeida-Filho, T. M. Kuplich and R. M. De Freitas 3831

Impact of polarization and incidence of the ASAR sensor on coastline mapping: example of Gabon
N. Baghdadi, R. Pedreros, N. Lenotre, T. Dewez and M. Paganini 3841

A study of land cover classification using polarimetric SAR parameters
V. Alberga 3851

Airborne FTIR measurements over the Mt Etna volcano: preliminary results from the 2003 FASA Campaign
S. Amici, M. F. Buongiorno, S. Corradini, S. Pugnaghi and M. Sgavetti 3871

Application of the Crosta technique for alteration mapping of granitoidic rocks using ETM+ data: case study from eastern Tauride belt (SE Turkey)
D. Aydal, E. Ardai and Ö. Dumanlilar 3895

An accuracy assessment methodology for the remotely sensed discontinuities: a case study in Andesite Quarry area, Turkey
A. Kocal, H. S. Duzgun and C. Karpuz 3915

Eco-environmental evaluation with remote sensing in the middle and upper areas of the Yellow River drainage basin
X. Wang, Z. Ren and K. Tan 3937

Detection of wave fronts in the Indian Ocean from geostationary sunglint satellite imagery
A. Turiel, J. Isern-Fontanet, E. Garcia-Ladona and J. A. Young 3953

Observations of ice surface temperature and thickness in the Baltic Sea
M. Leppäranta and J. E. Lewis 3963

On the link between SAR-derived sea ice melt and development of the summer upper ocean mixed layer in the North Open Water Polynya
R. J. Galley, D. G. Barber and J. J. Yackel 3979

A derivation of roughness correlation length for parameterizing radar backscatter models
M. M. Rahman, M. S. Moran, D. P. Thoma, R. Bryant, E. E. Sano, C. D. Holifield Collins, S. Skirvin, C. Kershner and B. J. Orr 3995

Bright-band detection from radar vertical reflectivity profiles
M. A. Rico-Ramirez and I. D. Cluckie 4013

Technical note: Detection and substitution of clouds/hazes and their cast shadows on IKONOS images
D. Lu 4027

Prediction of mean monthly total ozone time series – application of radial basis function network
S. Chattopadhyay 4037

Improving urban classification through fuzzy supervised classification and spectral mixture analysis
J. Tang, L. Wang and S. W. Myint 4047

Multispectral images fusion by a joint multidirectional and multiresolution representation
M. Lillo-Saavedra and C. Gonzalo 4065

Bidimensional Empirical Mode Decomposition for the fusion of multispectral and panchromatic images
Z. Liu, P. Song, J. Zhang and J. Wang 4081

A new method of data transformation for satellite images: I. Methodology and transformation equations for TM images
Z. Y. Zeng 4095

A new method of data transformation for satellite images: II. Transformation equations for SPOT, NOAA, IKONOS, Quick Bird, ASTER, MSS and other images and application
Z. Y. Zeng 4125

Nonlinear estimation of subpixel proportion via kernel least square regression
L. Zhang, B. Wu, B. Huang and P. Li 4157

Book review 4173

Remote Sensing Letters

Object-oriented and textural image classification of the Siberia GBFM radar mosaic combined with MERIS imagery for continental scale land cover mapping
L. Durieux, J. Kropáček, G. D. De Grandi and F. Achard 4175

Using *in-situ* measurements to evaluate the new RapidEye^{TM} satellite series for prediction of wheat nitrogen status
J. U. H. Eitel, D. S. Long, P. E. Gessler and A. M. S. Smith 4183

Parallel fine spatial resolution satellite sensor image segmentation based on an improved Pulse-Coupled Neural Network
L. Li, J. Ma and Q. Wen 4191

Indicators of Northern Eurasia's land-cover change trends from SPOT-VEGETATION time-series analysis 1998–2005
C. Hüttich, M. Herold, C. Schmullius, V. Egorov and S. A. Bartalev 4199

Validating a new algorithm for estimating aerosol optical depths over land from MODIS imagery
B. Zhong, S. Liang and B. Holben 4207

Erratum 4215

NUMBERS 19–20

Cover. DEM accuracy comparison between different models from different stereo pairs
Y. Chen, P. Shi, J. Li, L. Deng, D. Hu and Y. Fan 4217

Landsat ETM+ image applications to extract information for environmental planning in a Colombian city
L. M. Santana 4225

Comparing the GLC2000 and GeoCover LC land cover datasets for use in economic modelling of land use
G. C. Nelson and R. D. Robertson 4243

Classification of floodplain vegetation by data fusion of spectral (CASI) and LiDAR data
G. W. Geerling, M. Labrador-Garcia, J. G. P. W. Clevers, A. M. J. Ragas and A. J. M. Smits 4263

Recent land-cover/use change associated with land degradation in the Lake Baringo catchment, Kenya, East Africa: evidence from Landsat TM and ETM+
L. M. Kiage, K.-B. Liu, N. D. Walker, N. Lam and O. K. Huh 4285

A ground-validated NDVI dataset for monitoring vegetation dynamics and mapping phenology in Fennoscandia and the Kola peninsula
P. S. A. Beck, P. Jönsson, K.-A. Høgda, S. R. Karlsen, L. Eklundh and A. K. Skidmore 4311

Use of a ground-based scanning lidar for estimation of biophysical properties of western larch (*Larix occidentalis*)
R. Clawges, L. Vierling, M. Calhoon and M. Toomey 4331

Technical Note. Generation of top-of-canopy Digital Elevation Model (DEM) in tropical rain forest regions using radargrammetry
Y. Chen, P. Shi, L. Deng and J. Li 4345

Regenerating boreal forest structure estimation using SPOT-5 pan-sharpened imagery
A. L. Wunderle, S. E. Franklin and X. G. Guo 4351

Satellite-based assessment of the dynamics of new lakes in southern Egypt
J. W. Chipman and T. M. Lillesand 4365

Quantitative study of net radiation from MODIS data in the lower boundary layer in Poyang Lake area of Jiangxi Province, China
G. Cai, Y. Xue, Y. Hu, J. Guo, Y. Wang and S. Qi 4381

Technical Note. Sewage and industrial pollution in and around Thane Creek, Mumbai using high resolution IRS data
S. K. Sasamal, K. H. Rao and U. M. Suryavansi 4391

Technical Note. On identification of wakes and trails at sea with IRS-P4 OCM data
S. K. Sasamal 4397

Technical Note. Pre-monsoon Indian Ocean SST in contrasting years of Indian summer monsoon rainfall
S. K. Sasamal 4403

Comparative use of processed satellite images in remote sensing of mass movements: Lebanon as a case study
C. Abdallah, J. Chorowicz, R. Boukheir and D. Dhont 4409

Multispectral image segmentation by a multichannel watershed-based approach
P. Li and X. Xiao 4429

Radiometric normalization of sensor scan angle effects in optical remote sensing imagery
G. Palubinskas, R. Müller, P. Reinartz and M. Schroeder 4453

Artificial neural network with backpropagation learning to predict mean monthly total ozone in Arosa, Switzerland
S. Chattopadhyay and G. Bandyopadhyay 4471

Multi year satellite remote sensing of particulate matter air quality over Sydney, Australia
P. Gupta, S. A. Christopher, M. A. Box and G. P. Box 4483

Global cloud top height and thermodynamic phase distributions as obtained by SCIAMACHY on ENVISAT
A. A. Kokhanovsky, M. Vountas, V. V. Rozanov, W. Lotz, H. Bovensmann and J. P. Burrows 4499

Inferences of all-sky solar irradiance using Terra and Aqua MODIS satellite data
R. Houborg, H. Soegaard, W. Emmerich and S. Moran 4509

Spectral reflectance for the mineralogical evaluation of Brazilian low clay activity soils
J. A. M. Demattê, M. R. Nanni, A. R. Formaggio and J. C. N. Epiphanio 4537

Detecting unknown coal fires: synergy of automated coal fire risk area delineation and improved thermal anomaly extraction
C. Kuenzer, J. Zhang, J. Li, S. Voigt, H. Mehl and W. Wagner 4561

MODIS land surface temperature data detects thermal anomaly preceding 8 October 2005 Kashmir earthquake
S. K. Panda, S. Choudhury, A. K. Saraf and J. D. Das 4587

Multispectral image classification: a supervised neural computation approach based on rough–fuzzy membership function and weak fuzzy similarity relation
A. Agrawal, N. Kumar and M. Radhakrishna 4597

Increasing soft classification accuracy through the use of an ensemble of classifiers
H. T. X. Doan and G. M. Foody 4609

Optimization in multi-scale segmentation of high-resolution satellite images for artificial feature recognition
J. Tian and D.-M. Chen 4625

Technical Note. Object-oriented classification for urban land cover mapping with ASTER imagery
Y. Chen, P. Shi, F. Tung, J. Wang and X. Li 4645

Classified road detection from satellite images based on perceptual organization
J. Yang and R. S. Wang 4653

Technical Note. On a 16° N chlorophyll plume along the east coast of India
S. K. Sasamal 4671

Remote Sensing Letters

Application of the Active Learning Method for the estimation of geophysical variables in the Caspian Sea from satellite ocean colour observations
H. Taheri Shahraiyni, M. Schaale, F. Fell, J. Fischer, R. Preusker, M. Vatandoust, S. Bagheri Shouraki, M. Tajrishy, H. Khodaparast and A. Tavakoli 4677

Geometric correction accuracy of different satellite sensor images: application of figure condition
E. Sertel, S. H. Kutoglu and S. Kaya 4685

Potential of SSMIS to derive cloud liquid water over sea ice
H. Laue, S. Andersen, C. Melsheimer and G. Heygster 4693

Evaluating the discrimination of Cu-mineralized rock alteration products from simulated MAPSAR Images in the Curaçá Valley, Brazil
T. N. Rabelo, W. R. Paradella, A. R. Santos, C. D. Rennó, L. S. Galvão, J. C. Mura and S. S. A. Knust 4701

NUMBERS 21–22

Cover: Features of Hurricane Katrina using multi sensor data
A. K. Prasad and R. P. Singh 4709

An exploratory study of cloud remote sensing capabilities of the Communication, Ocean and Meteorological Satellite (COMS) imagery
Y.-S. Choi, C.-H. Ho, M.-H. Ahn and Y.-M. Kim 4715

A high-performance approach for brightness temperature inversion
X. Hao, J. J. Qu, B. Hauss and C. Wang 4733

Remote sensing data analysis for mapping active faults in the northwestern part of Kangra Valley, NW Himalaya, India
G. Philip 4745

Landslide susceptibility mapping using an artificial neural network in the Gangneung area, Korea
S. Lee 4763

Remote sensing techniques for rapid detection of soil physical degradation
C. T. Omuto and D. P. Shrestha 4785

Greenness trends of Arctic tundra vegetation in the 1990s: comparison of two NDVI data sets from NOAA AVHRR systems
D. Stow, A. Petersen, A. Hope, R. Engstrom and L. Coulter 4807

Short-term response of arctic vegetation NDVI to temperature anomalies
I. Olthof and R. Latifovic 4823

Validation of operational AVHRR subpixel snow retrievals over the European Alps based on ASTER data
N. Foppa, A. Hauser, D. Oesch, S. Wunderle and R. Meister 4841

A handy imaging system for precision agriculture studies
Y. J. Lee, K. W. Chang, Y. Shen, T. M. Huang and H. L. Tsay 4867

Effects of land-use categorization on landscape metrics: A case study in urban landscape of Shenzhen, China
J. Peng, Y. Wang, M. Ye, J. Wu and Y. Zhang 4877

Estimating and mapping grass phosphorus concentration in an African savanna using hyperspectral image data
O. Mutanga and L. Kumar 4897

Bidirectional effect on a spectral image sensor for in-field crop reflectance assessment
Y. Kim and J. F. Reid 4913

Persistent changes in NDVI between 1982 and 2003 over India using AVHRR GIMMS (Global Inventory Modeling and Mapping Studies) data
A. T. Jeyaseelan, P. S. Roy and S. S. Young 4927

The influence of temperature and precipitation climate regimes on vegetation dynamics in the US Great Plains: a satellite bioclimatology case study
S.-Y. Tan 4947

Variability of fire-induced changes in MODIS surface reflectance by land-cover type in Borneo
J. Miettinen 4967

Analysis of ENVISAT ASAR data for forest parameter retrieval and forest type classification—a case study over deciduous forests of central India
T. R. K. Chand and K. V. S. Badarinath 4985

DEM-optical-radar data integration for palaeohydrological mapping in the northern Darfur, Sudan: implication for groundwater exploration
E. Ghoneim and F. El-Baz 5001

Delineation of groundwater recharge sites using integrated remote sensing and GIS in Jammu district, India
A. S. Jasrotia, R. Kumar and A. K. Saraf 5019

Mapping evapotranspiration in the Indus Basin using ASTER data
A. Sarwar and R. Bill 5037

Mapping the distribution of coral reefs and associated sublittoral habitats in Pacific Panama: a comparison of optical satellite sensors and classification methodologies
S. L. Benfield, H. M. Guzman, J. M. Mair and J. A. T. Young 5047

Technical Note. Systematic error in the determination of perimeter and area of off-lattice digitalized images
A. R. Imre 5071

MODIS tasselled cap: land cover characteristics expressed through transformed MODIS data
S. E. Lobser and W. B. Cohen 5079

Gaps-fill of SLC-off Landsat ETM+ satellite image using a geostatistical approach
C. Zhang, W. Li and D. Travis 5103

Mean Compositing, an alternative strategy for producing temporal syntheses. Concepts and performance assessment for SPOT VEGETATION time series
C. Vancutsem, J.-F. Pekel, P. Bogaert and P. Defourny 5123

Radiometric correction for linear change-detection techniques: analysis in bi-temporal space
Y. Liu, T. Yano, S. Nishiyama and R. Kimura 5143

Remote Sensing Letters

Evaluation of linear spectral unmixing and ΔNBR for predicting post-fire recovery in a North American ponderosa pine forest
A. M. S. Smith, L. B. Lentile, A. T. Hudak and P. Morgan 5159

Object-based classification of residential land use within Accra, Ghana based on QuickBird satellite data
D. Stow, A. Lopez, C. Lippitt, S. Hinton and J. Weeks 5167

Stability, normalization and accuracy of MODIS-derived estimates of live fuel moisture for southern California chaparral
D. Stow and M. Niphadkar 5175

Detecting infestation of take-all disease in wheat using Landsat Thematic Mapper imagery
X. Chen, J. Ma, H. Qiao, D. Cheng, Y. Xu and Y. Zhao 5183

NUMBERS 23–24

Cover: Mangrove vegetation on Abu Minqar island of the Red Sea
M. A. Saleh 5191

Crop surface temperature estimation in irrigated command areas using MODIS satellite data
S. Jonna, K. V. S. Badrinath, G. Chandrasekhar, E. Amminedu and T. R. K. Chand .. 5195

Use of vegetation index and meteorological parameters for the prediction of crop yield in India
A. K. Prasad, R. P. Singh, V. Tare and M. Kafatos 5207

Temporal change in canopy reflectance at visible wavelength as a biophysical indicator of jute (*Corchorus capsularis* L.) growth
B. Raychaudhuri and S. Bhattacharyya (Née Bhaumik) 5237

Retrieval of surface temperature from the MSG-SEVIRI observations: Part I. Methodology
D. Sun and R. T. Pinker 5255

Similarity measures for spectral discrimination of salt-affected soils
J. Farifteh, F. van der Meer and E. J. M. Carranza 5273

Technical Note: Reconstructing the paleoclimate record of Lupobupo salt lake with Landsat TM data
G. Guo and D. Xu 5295

Spectral discrimination of dolerite in crushed rock road aggregate, Perth, Western Australia
M. A. Wells and T. Cullinane 5299

N-FindR method versus independent component analysis for lithological identification in hyperspectral imagery
C. Gomez, H. Le Borgne, P. Allemand, C. Delacourt and P. Ledru 5315

A multi-scale segmentation approach to filling gaps in Landsat ETM+ SLC-off images
S. K. Maxwell, G. L. Schmidt and J. C. Storey 5339

Orthorectified image mosaic of Antarctica from 1963 Argon satellite photography: image processing and glaciological applications
K. Kim, K. C. Jezek and H. Liu 5357

Technical Note: Earthquake cloud over Japan detected by satellite
G. Guo and G. Xie 5375

An unbiased algorithm for detection of curvilinear structures in urban remote sensing images
J. Peng and Y.-Q. Jin 5377

The use of digital aerial photography and CORINE-derived methodology for monitoring recent and historic changes in land cover near UK Natura 2000 sites for the BIOPRESS project
A. G. Thomson, S. J. Manchester, R. D. Swetnam, G. M. Smith, R. A. Wadsworth, S. Petit and F. F. Gerard 5397

Analysis of impacts of urban land use and land cover on air quality in the Las Vegas region using remote sensing information and ground observations
G. Xian 5427

Land-cover classification in the Brazilian Amazon with the integration of Landsat ETM+ and Radarsat data
D. Lu, M. Batistella and E. Moran 5447

Coastline evolution monitoring and estimation—a case study in the region of Nouakchott, Mauritania
W. Wu 5461

Combining close-range and remote sensing for local assessment of biophysical characteristics of arable land
G. W. A. M. van der Heijden, J. G. P. W. Clevers and A. G. T. Schut 5485

Fourier analysis of historical NOAA time series data to estimate bimodal agriculture
F. Canisius, H. Turral and D. Molden 5503

Change in area of Ebinur Lake during the 1998–2005 period
M. Ma, X. Wang, F. Veroustraete and L. Dong 5523

Relationships between ice breakup dates of lakes and local air temperature on the Eurasian continent
T. Nonaka, T. Matsunaga and A. Hoyano 5535

Uncertainty analysis of flash-flood system using remote sensing and a geographic information system based on GclUH in the Yeongdeok Basin, Korea
H. Choi, I. J. Kang, Y. H. Chung and H. J. Yoon 5551

Regression and analytical models for estimating mangrove wetland biomass in South China using Radarsat images
X. Li, A. Gar-On Yeh, S. Wang, K. Liu, X. Liu, J. Qian and X. Chen 5567

Application of remote sensing and GIS for the demarcation of groundwater potential zones of a river basin in Kerala, southwest coast of India
P. K. D. Kumar, G. Gopinath and P. Seralathan 5583

'Maximal effective baseline' for conventional SAR interferometry
Z. Chang, J. Zhang, H. Gong, J. Zhang and W. Zhao 5603

Monitoring the ionosphere activity from GPS data
S. Boutiouta and A. H. Belbachir 5617

Remote Sensing Letters

Retrieval of atmospheric and oceanic properties from MERIS measurements: A new Case-2 water processor for BEAM
T. Schroeder, M. Schaale and J. Fischer 5627

Stability of surface reflectance scaling properties explored by using SPOT-VGT data
L. Telesca, A. Lanorte and R. Lasaponara 5633

Traceability of slash-and-burn land-use history using optical satellite sensor imagery: a basis for chronosequential assessment of ecosystem carbon stock in Laos
Y. Inoue, J. Qi, A. Olioso, Y. Kiyono, T. Horie, H. Asai, K. Saito, Y. Ochiai, T. Shiraiwa and L. Douangsavanh 5641

Index of authors for volume 28 5651

Index of contents for volume 28 5689